Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
APRILIA					
AF1 50 Extrema		2.00bar (29psi)	2.30bar (33psi)	110/70ZR17 (54W) AV59 Sport	150/60ZR17 (61W) AV60 Sport
Rally 50, RX50, Tuareg Rally 50		2.00bar (29psi)	2.10bar (30psi)	80/90-21 48S AM43 Distanzia	4.10-18 60S AM44 Distanzia
125 Tuareg Rally '85	1985 1988	1.70bar (24psi)	2.00bar (29psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
125 Tuareg Rally '89	1989 1991	1.70bar (24psi)	2.00bar (29psi)	90/90-21 54H AM43 Distanzia	120/90-17 64S AM44 Distanzia
125 Tuareg Rally '92	1992 1993	1.70bar (24psi)	2.00bar (29psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
AF1 125	1987 1987	1.80bar (26psi)	2.30bar (33psi)	100/90-16 54V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
AF1 125 Europa, Replica, Sport	1991	2.00bar (29psi)	2.10bar (30psi)	100/80-17 52V AM26 Roadrider	130/70-17 62V AM26 Roadrider
AF1 125 Replica, Replica Futura,Sport	1992 1994	2.00bar (29psi)	2.10bar (30psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
ETX 125	1985 1988	1.70bar (24psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
Pegaso 125	1993 1994	1.80bar (26psi)	2.00bar (29psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM43 Distanzia
Red Rose, Classic 125	1988 1992	1.80bar (26psi)	2.10bar (30psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom, AM26 Roadrider
RS 125		2.00bar (29psi)	2.10bar (30psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
RS 125 Extrema, S Replica	1994 1995	2.00bar (29psi)	2.10bar (30psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
RS Replica 125	1999	2.00bar (29psi)	2.10bar (30psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
RX 125	1992 1993	1.70bar (24psi)	2.00bar (29psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
SportPro 125	1993 1995	2.00bar (29psi)	2.10bar (30psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
Scarabeo 150	2000 2002	2.20bar (32psi)	2.40bar (34psi)	110/90V16 AM20 Super Venom	MT90-16 AM18 Super Venom
250 Tuareg Rally	1985 1989	1.60bar (23psi)	1.80bar (26psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
RS 250	1994 1996	2.20bar (32psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
RS 250 Replica	1997 2002	2.20bar (32psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
280 Climber R		1.70bar (24psi)	1.90bar (27psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
ETX 350 Tuareg	1989 1990	1.80bar (26psi)	2.00bar (29psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
ETX 600 6.35 Wind	1988 1992	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	130/80-17 65T AM44 Distanzia
ETX 600 Tuareg	1985 1987	1.80bar (26psi)	2.10bar (30psi)	300-21 51S AM43 Distanzia	130/80-17 65T AM44 Distanzia
Wind 6.35 Tuareg	1988 1993	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
650 Moto 6.5	1995 1998	1.80bar (26psi)	2.10bar (30psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
650 Pegaso I.E.	1994 2002	1.80bar (26psi)	2.10bar (30psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM44 Distanzia
CapoNord 1000	2001 2004	2.50bar (36psi)	2.90bar (42psi)	110/80 R19 59V AM43 Distanzia	150/70 R17 69V AM44 Distanzia
RST 1000 Futura	2000 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	180/55ZR17 (73W) AV46-ST
RSV 1000 MILLE	1999 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
RSV 1000 MILLE R	2000 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
RSV 1000 MILLE SP	1999 2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
SL 1000 Falco / R	2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
RSV 1000 Tuono Fighter	2003 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
APRILIA SCOOTER					
Area 51				130/60-13 AV63	130/60-13 AV63
Habana 50				120/70-12 AV63	130/70-10 No Avon Tyre Fitment for this Model
SR Ditech 50				130/60-13 AV63	130/60-13 AV63
Mojito 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Rally 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Scarbeo 50 4T				80/80-16 No Avon Tyre Fitment for this Model	90/80-16 No Avon Tyre Fitment for this Model
Scarbeo Street 50				250-16 No Avon Tyre Fitment for this Model	275-16 No Avon Tyre Fitment for this Model
Sonic 50				100/90-10 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model
Scarabeo 100 4T				80/80-16 No Avon Tyre Fitment for this Model	90/80-16 No Avon Tyre Fitment for this Model
Atlantic 125				110/90-13 AV63	130/70-13 AV63
Habana 125				120/70-12 AV63	130/70-10 No Avon Tyre Fitment for this Model
Leonardo 125				130/70-12 AV63	140/70-12 AV63
Scarabeo 125				100/80-16 AV63	130/80-16 No Avon Tyre Fitment for this Model
Leonardo 150				130/70-12 AV63	140/70-12 AV63
Atlantic 200				110/90-13 AV63	130/70-13 AV63
Scarabeo 200				100/80-16 AV63	130/80-16 No Avon Tyre Fitment for this Model
Leonardo 250/300				130/70-12 AV63	130/70-12 AV63
Atlantic 500				120/70-15 AV63	140/60-14 AV63
Scarabeo 500				110/80-16 No Avon Tyre Fitment for this Model	140/70-16 AV63
BENELLI					
BX 125	1990 1990	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
250 C, 2C, 2CE, 2CSE	1978 1981	2.00bar (29psi)	2.20bar (32psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
350 RS	1978 1981	2.10bar (30psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
350 Sport II	1980 1982	2.10bar (30psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
354 T	1984 1986	2.10bar (30psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
500 LS		2.10bar (30psi)	2.40bar (34psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
654 Sport, T		2.10bar (30psi)	2.40bar (34psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
750 Sei	1974 1978	2.30bar (33psi)	2.80bar (40psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
900 Sei , Mark2	1978 1990	2.30bar (33psi)	2.80bar (40psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
900 Sei Sport	1985 1987	2.30bar (33psi)	2.80bar (40psi)	No Avon Tyre Fitment for this Model	-
900 Tornado Tre Novacento	2002 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
1000 Classic		2.20bar (32psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
BENELLI SCOOTER					
K2 50				120/70-12 AV63	130/70-12 AV63
491				120/70-12 AV63	130/70-12 AV63
Naked 50				120/70-12 AV63	130/70-12 AV63
K2 100				120/70-12 AV63	130/90-10 No Avon Tyre Fitment for this Model
Naked 100				120/70-12 AV63	130/90-10 No Avon Tyre Fitment for this Model
Adiva 125				120/70-13 AV63	130/70-12 AV63
Velvet 125				120/70-13 AV63	140/70-12 AV63
Adiva 150				120/70-13 AV63	130/70-12 AV63
Velvet 150				120/70-13 AV63	140/70-12 AV63
Velvet 250				120/70-13 AV63	140/70-12 AV63
BETA					
KR50, RK6		2.00bar (29psi)	2.10bar (30psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
Supermoto RR50,RR72		2.00bar (29psi)	2.30bar (33psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
125 Techno, Scrambler		1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
250 Techno, KR		1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
BETA SCOOTER					
260 BETA ALP		1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
Ark 50				130/60-13 AV63	130/60-13 AV63
Eikon 50				130/60-13 AV63	140/60-13 AV63
Quadra 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Eikon 125				120/70-13 AV63	140/60-13 AV63
Eikon 150				120/70-13 AV63	140/60-13 AV63
Eikon 250				120/70-13 AV63	140/60-13 AV63
BIG DOG					
Bulldog	- 2003	2.80bar (40psi)	2.90bar (42psi)	100/90-19 57H AM41 Venom	250/40 R18 81H AM42 Venom R
Bulldog	2004	2.80bar (40psi)	2.90bar (42psi)	120/70-21 62H AM41	240/40 R18 No Avon Tyre Fitment for this Model
Boxer	- 2003	2.80bar (40psi)	2.90bar (42psi)	90/90-21 54H AM41 Venom	180/55R18 AM42 Venom
Boxer	2004	2.80bar (40psi)	2.90bar (42psi)	130/70B18 69H AM41 Venom	200/50-18 No Avon Tyre Fitment for this Model
Chopper	2003 -	2.80bar (40psi)	2.90bar (42psi)	MH90-21 56H AM41 Venom	250/40R18 81H AM42 Venom
Husky		2.80bar (40psi)	2.90bar (42psi)	90/90-21 54V AM26 Roadrider, 54H AM20 Roadrunner	180/55 B18 (74V) V280 AM23
				& AM41 Venom	
Mastiff	- 2003	2.80bar (40psi)	2.90bar (42psi)	90/90-21 54V AM26 Roadrider, 54H AM20 Roadrunner	230/60-15 86H AM21 Roadrunner Monster
				& AM41 Venom	
Mastiff	2004	2.80bar (40psi)	2.90bar (42psi)	120/70-21 62H AM41	240/40 R18 No Avon Tyre Fitment for this Model
PitBull	- 2003	2.80bar (40psi)	2.90bar (42psi)	90/90-21 54V AM26 Roadrider, 54H AM20 Roadrunner	250/40 R18 81H AM42 Venom R
				& AM41 Venom	
Pitbull	2004 -	2.80bar (40psi)	2.90bar (42psi)	120/70-21 62H AM41	250/40 R18 81H AM42 Venom R
Wolf		2.80bar (40psi)	2.90bar (42psi)	110/80 B18 (58V) V260 AM22	180/55 B18 (74V) V280 AM23
Ridgeback	2004 -	2.80bar (40psi)	2.90bar (42psi)	MH90H21 56H AM41 Venom	250/40 R18 81H AM42 Venom R
BIMOTA					
YB7	1987 1990	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
VDUE	1997 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YB 6	1990 1992	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (69W) AV46-ST, AV60 Sport, Supersport
YB 9 BELLARIA	1990 1992	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
YB9 Supersport 600	1990 1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
YB9 SR	1996 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Supermono	1995 1996	2.20bar (32psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
SB7 Fuel Injection	1995 1997	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YB4 E.I.	1988	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Tesi 1DS	1991 1991	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
DB2, SR, HF	1993 1997	2.00bar (29psi)	2.30bar (33psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
DB4 Iniezione Elettronica	1999 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Mantra	1995 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Tesi 1D 906,EF	1990 1992	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
SB 8 R/RS	1999 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
SB6	1994 1995	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Tuatara	1989 1990	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YB 10 Dieci, Biposto	1991 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YB 8 Furano	1990 1994	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YB11 Superleggera	1996 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YB6,EI, Tuatara	1988 1988	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (72W) AV46-ST, AV60 Sport, Supersport
YB8 Biposto, E.I. Furano, Evolution	1990 1995	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
SB6	1994 1996	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
SB6r	1997 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YB 5	1987 1987	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
BMW					
R45	1978	1.90bar (27psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 61V AM18 Super Venom Universal
R50/5		2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
R60/5 /6 /7	1970 1981	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
F 650 CS (Belt Drive)	2002 2004	2.30bar (33psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST	160/60ZR17 (69W) AV46-ST
F 650 Funduro	1996 2001	1.80bar (26psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM44 Distanzia
F 650 GS	2001 2004	1.80bar (26psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM44 Distanzia
F 650 GS Dakar	2002 2004	1.80bar (26psi)	2.50bar (36psi)	90/90-21 54T AM43 Distanzia	130/80-17 65T AM44 Distanzia
F 650 ST	1997 1998	1.80bar (26psi)	2.50bar (36psi)	100/90-18 56H AM41 Venom	130/80-17 65V AM26 Roadrider, 65H AM52 HKM
R65	1978 1989	2.20bar (32psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
R65 GS		2.00bar (29psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
R65, R65 LS	1978 1985	1.90bar (27psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
K75 S	1991 1996	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
K75, K75 C, K75 T	1987 1989	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
K75, K75 RT	1990 1996	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
R75, /5/6/7	1970 1978	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
R80 GS Basic	1988 1996	2.20bar (32psi)	2.50bar (36psi)	90/90-21 54T AM43 Distanzia	130/80-17 65T AM44 Distanzia
R80 GS Paris Dakar	1980 1987	2.20bar (32psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
R80 R Roadster	1994	2.50bar (36psi)	2.70bar (39psi)	110/80ZR18 (58W) AV45-ST	140/80ZR17 (69W) AV46-ST
R80 Roadster	1994 1995	2.50bar (36psi)	2.90bar (42psi)	110/80ZR17 AV45-ST	140/80ZR17 (69W) AV46-ST
R80 ST	1982 1985	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom,	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
				AM26 Roadrider	
R80, R80 RT	1986 1994	2.20bar (32psi)	2.90bar (42psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
R80/7	1978 1981	2.20bar (32psi)	2.60bar (37psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
R 850 C		2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	170/80-15 83H AM42 Venom
R 850 GS	1999 2002	2.50bar (36psi)	2.90bar (42psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
R 850 R (Spoked Wheels)	1996 2000	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
R 850 R, ABS, Special Edition	1995 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
R 850 RT	1997 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
R 850 RT (Spoked Wheels)		2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
R90/6, R90 S	1973 1976	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	400-18 64H or 110/90-18 61H AM21 Roadrunner
K1	1989 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
K100 RS, RT, LT 8-Valve ('85 To '93)	1985 1993	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
K100 RS/4 (From '90)	1990 1992	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
R100 GS	1987 1995	2.50bar (36psi)	2.70bar (39psi)	0/90-21 54H AM43 Distanzia	130/80 R17 65H AM44 Distanzia
R100 R Roadster, Mystic, Classic	1992 1996	2.50bar (36psi)	2.70bar (39psi)	110/80ZR18 (58W) AV45-ST	140/80ZR17 (69W) AV46-ST

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
BMW					
R100 RS ('87 On)	1977 1985	2.20bar (32psi)	2.80bar (40psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
R100 RT ('85 On)	1977 1985	2.20bar (32psi)	2.80bar (40psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
R100 RT, 88 Classic	1989 1995	2.20bar (32psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
R100, /7, S, SL, T, TC, TS, CS, RS, RT	1977 1985	2.20bar (32psi)	2.80bar (40psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (
					also 120/90-18 AM26 Roadrider, AM18/21)
K 1100 LT, Special Edition	1992 1997	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	140/80ZR17 (69W) AV46-ST
K 1100 RS	1994 1996	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
R 1100 GS	1994 1999	2.50bar (36psi)	2.90bar (42psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
R 1100 GS, (ABS)	1994 1995	2.50bar (36psi)	2.90bar (42psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
R 1100 R	1998 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
R 1100 R, (Spoked Wheels)	1996 1998	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
R 1100 R, RS, RT	1993 2003	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
R 1100 R, RS, RT, RS-SE	1993 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
R 1100 S (5.00 Rear Rim)	1999 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	170/60ZR17 (72W) AV46-ST
R 1100 S (5.50 Rear Rim)	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	180/55ZR17 (73W) AV46-ST
R 1100 S Sport	1999 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	180/55ZR17 (73W) AV46-ST
R 1150 GS	1999	2.50bar (36psi)	2.90bar (42psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
R 1150 R, Rockster, RS, RT	2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	170/60ZR17 (72W) AV46-ST
K 1200 LT	1999 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/70ZR17 79V AV46-ST
K 1200 RS (5.00 Rear Rim)	1997 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
K 1200 RS (5.50 Rear Rim)	1997 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport
K 1200 GT	2003 2004	2.90bar (42psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST,	180/55ZR17 (73W) AV46-ST
R 1200 C Classic, A-garde, Independent	1997 2004	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56H AM41 Venom	170/80-15 83H AM42 Venom
R 1200 CL	2003 2004	2.50bar (36psi)	2.90bar (42psi)	150/80-16 71H AM41 Venom	170/80-15 83H AM42 Venom
R1200GS	2004	2.50bar (36psi)	2.90bar (42psi)	110/80R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
BMW SCOOTER					
C1 125				120/70-13 AV63	140/60-13 AV63
C1 200				120/70-13 AV63	140/60-13 AV63
BOSS HOSS					
5.7L Small block	2000	3.45bar (50psi)	2.90bar (42psi)	MT90 B16 74H AM41 Venom	230/60-15 86H AM21 Roadrunner Monster
8.2L Big Block 502	2000	3.45bar (50psi)	2.90bar (42psi)	MT90 B16 74H AM41 Venom	230/60-15 86H AM21 Roadrunner Monster
BUELL					
Blast	2000	2.10bar (30psi)	2.30bar (33psi)	100/80-16 50S AM51 HKM	120/80-16 60S AM52 HKM
CYCLONE M2	1997 2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
RR 1200	1989 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
S1 LIGHTNING, WHITE LIGHTNING	1996 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
S2, S2T THUNDERBOLT,D2	1995 1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
S3 1200 THUNDERBOLT	1996 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
S3T 1200 THUNDERBOLT	1996 2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
X-1 1200 LIGHTNING	1999 2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
XB9-R Firebolt,XB9S Lightning	1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
CAGIVA					
75 K 7 Trail		1.50bar (22psi)	1.80bar (26psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
80 Cocis	1989 1993	1.50bar (22psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
125 Blues		2.20bar (32psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	140/90-15 76H AM42 Venom
125 Low Rider	1985 1985	1.90bar (27psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
125 Mito Eddie	1994 1994	1.90bar (27psi)	2.00bar (29psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
125 Mito I, II, EV, N1, FP, Lawson	1990 1999	2.10bar (30psi)	2.30bar (33psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
125 Roadster	1994 1996	1.80bar (26psi)	2.20bar (32psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	140/90-15 76H AM42 Venom
125 W 8, Pro Action	1992 1999	1.90bar (27psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S AM44 Distanzia
Aletta 125	1985 1985	1.70bar (24psi)	2.00bar (29psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
Aletta Rossa 125	1986 1986	1.90bar (27psi)	2.50bar (36psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
Planet 125	1997 1999	2.10bar (30psi)	2.30bar (33psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
SST 125 Aletta Electra		1.80bar (26psi)	2.00bar (29psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
SUPERCITY 125	1992 1999	2.10bar (30psi)	2.30bar (33psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
SXT 125	1979 1985	1.70bar (24psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
200 Roadster	1995 1995	1.90bar (27psi)	2.50bar (36psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18
					Super Venom, AM26 Roadrider
SST 250		1.90bar (27psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
SX 250		1.90bar (27psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
350 Alazzurra		2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
350 Elefant	1986 1986	1.70bar (24psi)	1.90bar (27psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
350 W 12	1993 1994	2.00bar (29psi)	2.20bar (32psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
Ala Rossa 350		1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
Ala Verde 350	1985 1985	1.90bar (27psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
SST 350		1.90bar (27psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
SX 350		1.60bar (23psi)	1.80bar (26psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
Canyon 500		2.20bar (32psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
T4 500 electric, Rallye	1987 1991	1.70bar (24psi)	2.20bar (32psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
600 W 16	1994 1995	2.00bar (29psi)	2.20bar (32psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
Canyon 600 '97	1997 1998	2.20bar (32psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	140/80 R17 69H AM43 Distanzia
Canyon 600 '98	1998	2.20bar (32psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
River 600		2.30bar (33psi)	2.50bar (36psi)	110/80ZR17 AV45-ST	150/70ZR17 (69W) AV46-ST
650 Alazzurra	1985 1988	2.00bar (29psi)	2.40bar (34psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
650 Elefant	1986 1987	2.10bar (30psi)	2.80bar (40psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
650 Raptor, V-Raptor	2000	2.50bar (36psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
750 Elefant (Early 21" Front)	1987 1988	2.10bar (30psi)	2.40bar (34psi)	90/90-21 54T AM43 Distanzia	130/80-17 65T AM44 Distanzia
750 Elefant a.c. (Late 19" Front)	1988 1992	2.10bar (30psi)	2.40bar (34psi)	100/90-19 57H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
900 Canyon ie	1998	2.20bar (32psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
900 Elefant a.c.	1991 1993	2.00bar (29psi)	2.20bar (32psi)	100/90-19 57H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
900 Elefant ie GT	1991 1993	2.00bar (29psi)	2.20bar (32psi)	100/90-19 57H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
900 Elefant ie Lucky	1991 1993	2.00bar (29psi)	2.20bar (32psi)	100/90-19 57H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
900 Gran Canyon	1999 2000	2.20bar (32psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	150/70 R17 69H AM44 Distanzia

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
CAGIVA					
1000 Raptor, V-Raptor, Xtra Raptor		2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Navigator 1000, T 1000	1999	2.30bar (33psi)	2.50bar (36psi)	110/80ZR18 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
CAGIVA SCOOTER					
City 50				90/90-10 No Avon Tyre Fitment for this Model	90/90-10 No Avon Tyre Fitment for this Model
Mantis 50				130/60-13 AV63	130/60-13 AV63
CCM					
604 E Supermoto	1999 2000	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
604 R/R30 RS Roadster	1999 2000	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
640 E Supermoto	1999 2000	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
640 R/ RS Roadster	1999 2000	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
Dual Sport Supermoto		2.30bar (33psi)	2.50bar (36psi)		
R30		2.30bar (33psi)	2.50bar (36psi)		
C.P.I. SCOOTER					
Hussar 50				120/70-12 AV63	130/70-12 AV63
Oliver 50				120/70-12 AV63	130/70-12 AV63
Popcorn 50				120/70-12 AV63	130/70-12 AV63
CZ					
125 Roadster		1.80bar (26psi)	2.20bar (32psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	140/90-15 76H AM42 Venom
250 CUSTOM		1.70bar (24psi)	1.90bar (27psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
250 Roadster		1.80bar (26psi)	2.20bar (32psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	140/90-15 76H AM42 Venom
250 Sport		1.70bar (24psi)	1.90bar (27psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
350 S		1.70bar (24psi)	2.00bar (29psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
CZ 350		1.70bar (24psi)	2.00bar (29psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
DERBI					
50 Senda 50R		1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
125 B3		1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
125 Senda R		2.20bar (32psi)	2.50bar (36psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
DERBI SCOOTER					
Atlantis 50				120/70-12 AV63	120/70-12 AV63
GP1 50				120/70-13 AV63	130/60-13 AV63
Hunter 50				130/60-13 AV63	130/90-10 No Avon Tyre Fitment for this Model
Manhatten 50				130/60-13 AV63	130/60-13 AV63
Paddock 50				130/60-13 AV63	130/60-13 AV63
Predator 50				130/60-13 AV63	130/60-13 AV63
Atlantis 100				120/70-12 AV63	120/70-12 AV63
Boulevard 125/150				130/60-13 AV63	130/60-13 AV63
DUCATI					
250 Desmo		2.00bar (29psi)	2.20bar (32psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
250 MK III		2.00bar (29psi)	2.20bar (32psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
250 Strada		2.00bar (29psi)	2.20bar (32psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
350 Desmo	1970 1974	2.00bar (29psi)	2.20bar (32psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
350 F 3	1987 1990	2.00bar (29psi)	2.20bar (32psi)	100/90-16 54V AM26 Roadrider, Super Venom	120/90-18 65V AM18 Super Venom
350 G, MKIII		2.00bar (29psi)	2.20bar (32psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
350 GTV, Vento, Sport Desmo	1975 1976	2.00bar (29psi)	2.20bar (32psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
INDIANA 350	1988 1988	2.30bar (33psi)	2.60bar (37psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	140/90-15 76H AM42 Venom
400 SS Junior	1991	2.20bar (32psi)	2.40bar (34psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
M 400 MONSTER	1998 1999	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
450 MK III		2.00bar (29psi)	2.20bar (32psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
450 Mk III	1970 1975	2.00bar (29psi)	2.20bar (32psi)	100/90-19 57V AM18 Super Venom Universal, AM26 Roadrider	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18 AM26 Roadrider, AM18/21)
450 Mk III D	1970 1975	2.00bar (29psi)	2.20bar (32psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
500 G, GTV, SPORT DESMO,GTL		2.30bar (33psi)	2.60bar (37psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
500 Pantah	1978 1980	2.20bar (32psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
500 SL Pantah	1984 1984	2.20bar (32psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
600 PANTAH, SL,	1982 1985	2.20bar (32psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
600 SS, Nuda, Carenata	1994 1995	2.20bar (32psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
M 600 MONSTER, Dark City	1999 2002	2.20bar (32psi)	2.40bar (34psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
620 SS	2003	2.20bar (32psi)	2.40bar (34psi)	120/60ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
M 620 MONSTER, MH620IE	2002 2004	2.20bar (32psi)	2.40bar (34psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
650 PANTAH, SL	1980 1986	2.20bar (32psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
INDIANA 650	1987 1989	2.30bar (33psi)	2.60bar (37psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	140/90-15 76H AM42 Venom
748	1995 2002	2.20bar (32psi)	2.40bar (34psi)	120/70 R17 (58W) AV59 Sport	180/55ZR17 (73W) AV50-SP
748, SP, SPS All Models		2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
749	2003 2004	2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV59 Sport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV60 Sport
750 SS ('91 To '98)	1991 1998	2.20bar (32psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
750 SS ie ('99 On)	1999 2002	2.30bar (33psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
750 SS, GT, Sport	1974 1975	2.20bar (32psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom, AM26 Roadrider	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
INDIANA 750	1989 1992	2.30bar (33psi)	2.60bar (37psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	140/90-15 76H AM42 Venom
M 750 MONSTER,IE, Dark City	1995 2001	2.20bar (32psi)	2.40bar (34psi)	120/60ZR17 (55W) AV45-ST	160/60ZR17 (69W) AV46-ST
800 S, SS	2003 2004	2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) or 180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
M 800 MONSTER, MH800ie	2003 2004	2.20bar (32psi)	2.40bar (34psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
851 SP II, SP III, SP IV, Strada	1990 1993	2.10bar (30psi)	2.30bar (33psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, 180/55ZR17 (73W) AV60 Sport
851 Strada	1988 1988	2.20bar (32psi)	2.50bar (36psi)	No Avon Tyre Fitment for this Model	-
860 Road, GTS, GTES	1975 1979	2.20bar (32psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
888, SP, Strada	1992 1995	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
900 Hailwood Replica	1980 1985	2.30bar (33psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
900 Hyper MONSTER		2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
900 SD, Darmah, SSD	1976 1985	2.30bar (33psi)	2.70bar (39psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
900 SS (To '97)	1997	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
900 SS ie, Nuda, Carenata	1999	2.00bar (29psi)	2.30bar (33psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
DUCATI					
900 SS, S 2 (To '81)	1976 1981	2.30bar (33psi)	2.70bar (39psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
900 SS, S2, Replica ('82 On)	1982	2.30bar (33psi)	2.70bar (39psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
900 SuperLight, FE	1998	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
M 900 MONSTER	1994 2000	2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV45-ST	170/60ZR17 (72W) AV46-ST, AV60 Sport
906 ie	1991 1993	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
906 Paso	1989 1992	2.30bar (33psi)	2.50bar (36psi)	No Avon Tyre Fitment for this Model	-
906 Sport	1989 1989	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
907 I.E. Paso	1991 1993	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
916 All Models	1995 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
944 ST-2	1997 2002	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport	170/60ZR17 (72W) AV46-ST, AV60 Sport
944 ST-4	1999 2001	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport	170/60ZR17 (72W) or 180/55ZR17 (73W) AV46-ST, 180/55ZR17 (73W) AV60 Sport
944 ST-4 S ABS	2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport
992 ST3	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport
S4R	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport
996 All Models	1999 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
998 All Models	2002	2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV45-ST B, AV59 Sport	190/50ZR17 (73W) AV46-ST B, AV60 Sport
999 All Models	2003 2004	2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV59 Sport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV60 Sport
1000 DS Multistrada	2003	2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV45-ST B, AV59 Sport	180/55ZR17 (73W) AV46-ST B, AV60 Sport
1000 Hailwood Replica	1984 1986	2.30bar (33psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
1000 SS	2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
M 1000 MONSTER	2003 2004	2.20bar (32psi)	2.40bar (34psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
MH 900E Hailwood Replica, Evolution		2.30bar (33psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
ENFIELD					
350 BULLET		1.50bar (22psi)	2.00bar (29psi)	325-19 54S TT Speedmaster MKII	350-19 57S TT S.M. MKII
350 BULLET DELUXE		1.50bar (22psi)	2.00bar (29psi)	325-19 54S TT Speedmaster MKII	350-19 57S TT S.M. MKII
350 Sport		1.50bar (22psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
500 BULLET		1.50bar (22psi)	2.00bar (29psi)	325-19 54S TT Speedmaster MKII	350-19 57S TT S.M. MKII
500 BULLET DELUXE		1.50bar (22psi)	2.00bar (29psi)	325-19 54S TT Speedmaster MKII	350-19 57S TT S.M. MKII
500 Sport		1.50bar (22psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
FANTIC					
80 Oasis, RSX, RC,Caballero	1982 1989	1.70bar (24psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
125 Coach Weekend		1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
125 Raider LC	1984 1988	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
250 Raider LC	1984 1988	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
GARELLI					
GTA 125	1987 1988	1.80bar (26psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
XLE 125 Tiger	1987 1989	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
GAS GAS					
SM125		2.00bar (29psi)	2.30bar (33psi)	120/60ZR17 (55W) AV59 Sport,Supersport	150/60ZR17 (61W) AV60 Sport
SM250		2.00bar (29psi)	2.30bar (33psi)	120/60ZR17 (55W) AV59 Sport,Supersport	150/60ZR17 (61W) AV60 Sport
SM400 FSE		2.00bar (29psi)	2.30bar (33psi)	120/60ZR17 (55W) AV59 Sport,Supersport	150/60ZR17 (61W) AV60 Sport
SM450 FSE		2.00bar (29psi)	2.30bar (33psi)	120/60ZR17 (55W) AV59 Sport,Supersport	150/60ZR17 (61W) AV60 Sport
GILERA					
125 CX	1991 1993	2.10bar (30psi)	2.30bar (33psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
125 Fast Bike, RTT Nebraska	1987 1990	1.70bar (24psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
125 RTX, ARIZONA	1986 1988	1.70bar (24psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
200 RTX, ARIZONA	1987 1990	1.70bar (24psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
RV 250 NGR	1986 1987	2.00bar (29psi)	2.30bar (33psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
350 SATURNO	1991 1992	2.30bar (33psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	160/60ZR17 (61W) AV60 Sport, Supersport
500 SATURNO	1991 1992	2.30bar (33psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	160/60ZR17 (61W) AV60 Sport, Supersport
600 Nordwest,Nordcape	1991 1994	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
Nordwest,Nordcape	2004	2.40bar (35psi)	2.60bar (37psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV60 Sport, Supersport
XRT 600	1989 1992	2.10bar (30psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
GILERA SCOOTER					
DNA 50				120/70-14 AV63	140/70-14 AV63
Ice 50				120/90-10 No Avon Tyre Fitment for this Model	120/90-10 No Avon Tyre Fitment for this Model
Runner 50				120/70-10	130/70-12 AV63
SPK 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Stalker 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Storm 50				130/60-13 AV63	130/60-13 AV63
Typhoon 50				120/90-10 No Avon Tyre Fitment for this Model	120/90-10 No Avon Tyre Fitment for this Model
DNA 125				120/70-14 AV63	140/60-14 AV63
Runner 125/180	- 1999			120/70-12 AV63	130/70-12 AV63
Runner 125/180	2000			120/70-12 AV63	130/60-13 AV63
Runner 125/180	2001 -			120/70-12 AV63	130/70-12 AV63
Runner 200	2003			120/70-12 AV63	130/70-12 AV63
Nexus 500	2004			120/70R15 AV63	160/60R14 AV63
HARLEY DAVIDSON					
883 Sportster Custom	1999 2003	2.50bar (36psi)	2.70bar (39psi)	MH90-21 56H AM41 Venom	MT90-16 74H AM42 Venom
883 Sportster, Deluxe, Hugger	1991 2003	2.50bar (36psi)	2.70bar (39psi)	100/90-19 57H AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XL883 Sportster	2004	2.50bar (36psi)	2.70bar (39psi)	100/90H19 AM41 Venom	150/80B16 AM42 Venom
XL883 C Sportster Custom	2004	2.50bar (36psi)	2.70bar (39psi)	MH90H21 AM41 Venom	150/80B16 AM42 Venom
1000 Sportster, Roadster, XR 1000	1983 1985	2.50bar (36psi)	2.70bar (39psi)	100/90-19 57H AM41 Venom, AM18 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XLH 1100 Sportster	1986 1987	2.50bar (36psi)	2.70bar (39psi)	100/90-19 57H AM41 Venom, AM18 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
V-Rod	2002			120/70 R19 (60W) AM41 Venom R	180/55 R18 (74W) AM42 Venom R
1200 Sportster	1988 2003	2.50bar (36psi)	2.70bar (39psi)	100/90-19 57H AM41 Venom	MT90-16 74H AM42 Venom
1200 Sportster Custom	1996 2003	2.50bar (36psi)	2.70bar (39psi)	MH90-21 56H AM41 Venom	MT90-16 74H AM42 Venom

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
HARLEY DAVIDSON					
1200 Sportster Sport	1997 2003	2.50bar (36psi)	2.70bar (39psi)	100/90-19 57H AM41 Venom, AM18 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XL1200C Sportster Custom	2004	2.50bar (36psi)	2.70bar (39psi)	MT90H21 AM41 Venom	150/80B16 AM42 Venom
XL1200R Sportster Roadster	2004	2.50bar (36psi)	2.70bar (39psi)	100/90H19 AM41 Venom	150/80B16 AM42 Venom
All 1340 with 16" Front and Rear wheels	1984 1999	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H AM41 Venom (also NW,WW)	MT90-16 74H AM42 Venom (also NW, WW)
All 1340 with 19" x 2.15 front and 16" Rear	1984 1999	2.50bar (36psi)	2.80bar (40psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	MT90-16 74H AM42 Venom, & AM21 Roadrunner
All 1340 with 19" x 2.50 front and 16" Rear	1984 1999	2.50bar (36psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom (Also WW)	MT90-16 74H (also NW, WW) or 140/90 B16 77H AM42 Venom (& WW)
All 1340 with 21" Front and 16" Rear wheels	1984 1999	2.50bar (36psi)	2.80bar (40psi)	MH90-21 56H AM41 Venom (also WW)	MT90-16 74H AM42 Venom (also NW, WW)
All 1450 FLH Touring Models	1999 2003	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H AM41 Venom (also NW,WW)	MT90-16 74H , or 140/90 B16 77H (optional size) AM42 Venom also NW, WW
All 1450 FLH Touring Models	2004 -	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H AM41 Venom (also WW)	140/90 B16 77H, AM42 Venom (also WW)
All 1450 FLS Softails	1999 2002	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H AM41 Venom (also NW,WW)	MT90-16 74H or 140/90B16 77H (optional size) AM42 Venom (also NW, WW)
All 1450 FLS Softails	2003	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H AM41 Venom (also WW)	150/80 B16 77H/V AM42 Venom (also WW)
All 1450 FXD Dyna models EXCEPT Wide Glide	2000	2.50bar (36psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom (also WW)	150/80 B16 77H/V AM42 Venom (also WW)
1450 FXD Dyna Super Glide Sport	2003	2.50bar (36psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom (also WW)	150/80 B16 77H/V AM42 Venom (also WW)
1450 FXD Dyna Super Glide T-Sport	2003	2.50bar (36psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom (also WW)	MT90-16 74H , or 140/90 B16 77H AM42 Venom (also WW)
1450 FXD Dyna Super Glide T-Sport	2000 2002	2.50bar (36psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom (also WW)	MT90-16 74H AM42 Venom (also WW)
1450 FXD Dyna Super Glide, Low Rider, Convertible	1993 2002	2.50bar (36psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom (also WW)	MT90-16 74H , or 140/90 B16 77H, AM42 Venom (also WW)
1450 FXD Dyna Low Rider	2003	2.50bar (36psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom (also WW)	150/80 B16 77V AM42 Venom (also WW)
1450 FXD Dyna Wide Glide	2003	2.50bar (36psi)	2.80bar (40psi)	MH90-21 56H AM41 Venom (also WW)	150/80 B16 77V AM42 Venom (also WW)
1450 FXD Dyna Wide Glide	1999 2002	2.50bar (36psi)	2.80bar (40psi)	MH90-21 56H AM41 Venom (also WW)	MT90-16 74H , or 140/90 B16 77H AM42 Venom (also WW)
1450 Softail Deuce	2000	2.50bar (36psi)	2.80bar (40psi)	MH90-21 56H AM41 Venom	160/70 R17 79V AV46-ST
All 1450 FXS Softails EXCEPT Deuce	1999 2002	2.50bar (36psi)	2.80bar (40psi)	MH90-21 56H AM41 Venom (also WW)	MT90-16 74H , or 140/90 B16 77H AM42 Venom (also WW)
All 1450 FXS Softails EXCEPT Deuce	2003	2.50bar (36psi)	2.80bar (40psi)	MH90-21 56H AM41 Venom (also WW)	150/80 B16 77V AM42 Venom (also WW)
All 1450 with 16" Front and Rear wheels	1999	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H AM41 Venom (also NW,WW)	MT90-16 74H , or 140/90 B16 77H, or 150/80 B16 77V AM42 Venom
1450 FLT Road Glide	2004	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H AM41 Venom (also WW)	140/90 B16 77H AM42 Venom (also WW)
1450 FLT Road Glide	1999 2003	2.50bar (36psi)	2.70bar (39psi)	MT90 B16 74H AM41 Venom (also NW, WW)	MT90-16 74H or 140/90 B16 77H (optional size) AM42 Venom (also NW, WW)
V-Rod VRSCA	2002			120/70ZR19 AM41 Venom R	180/55ZR18 AM42 Venom R
HONDA					
125 S		1.50bar (22psi)	1.80bar (26psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
NS 125	-1993	2.00bar (29psi)	2.00bar (29psi)	100/80-17 52V AM26 Roadrider	130/70-18 63V AM26 Roadrider
NS 125	1994	2.00bar (29psi)	2.00bar (29psi)	100/80-17 52V AM26 Roadrider	130/70-17 62V AM26 Roadrider
MTX 125 NRG, R Beach Hunter, Rally Sport	1988 1991	1.50bar (22psi)	1.80bar (26psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
MTX 125 RW	1983 1987	1.50bar (22psi)	1.80bar (26psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
XL 125 R	1983 2000	1.50bar (22psi)	1.80bar (26psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
XL 185 S	1978 1987	1.60bar (23psi)	1.80bar (26psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
MTX 200 R	1982 1986	1.50bar (22psi)	1.80bar (26psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
R 200 Reflex	1986 1986	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
XL 200 R	1982 1987	1.50bar (22psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
XR 200	1980 1984	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
XR 200 ProLink	1981 1983	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
CB 250 Hornet	1997 1999	2.20bar (32psi)	2.50bar (36psi)	130/70ZR16 (61W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
CB 250 N, T		2.00bar (29psi)	2.30bar (33psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	350-18 56S TT Supreme 180
CB 250 RS		1.70bar (24psi)	2.10bar (30psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
CB 250 Twin, T, NDC Super Dream		2.00bar (29psi)	2.00bar (29psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
CBF 250	2004	2.00bar (29psi)	2.30bar (33psi)	100/80-17 52V AM26 Roadrider	130/70-17 62V AM26 Roadrider
CBR 250 RR Four	1990	2.00bar (29psi)	2.30bar (33psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
CJ 250 T	1983 1983	1.70bar (24psi)	2.00bar (29psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
CL 250 S		1.50bar (22psi)	1.80bar (26psi)	300-19 54S REINF TT Speedmaster MKII	350-18 56S TT Supreme 180
FTR 250	1986 1986	1.80bar (26psi)	2.30bar (33psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
GB 250 Clubman	1983 1992	1.80bar (26psi)	2.00bar (29psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
NSR 250 R, RSE, RSP	1994	2.30bar (33psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
NSR 250 R, RSP	1990 1993	2.20bar (32psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
NX 250 AX-1	1987 1989	2.00bar (29psi)	2.30bar (33psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
Xelius 250	1991	2.00bar (29psi)	2.30bar (33psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	130/80-17 65V AM26 Roadrider, 65H AM52 HKM
XL 250		1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
XL 250 K 3-4	1983 1988	1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
XL 250 R	1983 1988	1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	120/90-17 64S AM44 Distanzia
XLR 250 R (18" Rear Wheel)		1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	460-18 64S AM44 Distanzia
XLR 250 R Baja		1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	460-18 64S AM44 Distanzia
CB 350 Four/S		2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
CB 360	1974 1976	2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
CJ 360 T	1976 1977	2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
BROS PRODUCT 2	1987 1989	2.30bar (33psi)	2.50bar (36psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	150/70-17 69V AM26 Roadrider, 69H AM52 HKM
CB 400 Four 1/2	1975	1.80bar (26psi)	2.10bar (30psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
CB 400 NA, NB, NC, 400 T, 400 A AUTO	1981 1985	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	350-18 56S TT Supreme 180
CBR 400 RR Gull Arm	1990	2.30bar (33psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
CBX 400 F		2.20bar (32psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
CM 400 T	1980 1987	2.00bar (29psi)	2.30bar (33psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
F 400	1988 1990	2.00bar (29psi)	2.00bar (29psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	
				AM41 Venom, AM26 Roadrider	170/80-15 83H AM42 Venom
GB 400 TT, MKII	1985 1985	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
NV 400 C STEED, VLX 400 Steed	1994 1996	2.00bar (29psi)	2.00bar (29psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom,	170/80-15 83H AM42 Venom
				AM26 Roadrider	
NV 400 SP		2.30bar (33psi)	2.50bar (36psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
RVF 400 R NC35		2.30bar (33psi)	2.50bar (36psi)	120/60ZR17 (55W) AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
VF 400 F	1988 1988	2.20bar (32psi)	2.20bar (32psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 61V AM18 Super Venom Universal
VFR 400 R	1986	2.20bar (32psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	130/70-18 63V AM26 Roadrider, 63H AM52 HKM
VFR 400 R	1987 1988	2.20bar (32psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	130/70-18 63V AM26 Roadrider, 63H AM52 HKM
VFR 400 Z	1986 1987	2.20bar (32psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	130/70-18 63V AM26 Roadrider, 63H AM52 HKM
XL 400 R		1.80bar (26psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	120/90-17 64S AM44 Distanzia
XL 400 V Transalp		2.10bar (30psi)	2.40bar (34psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
CB 450 K 1-5		2.00bar (29psi)	2.20bar (32psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	350-18 56S TT Supreme 180
CB 450 S	1987 1990	2.00bar (29psi)	2.00bar (29psi)	100/90-19 57V AM18 Super Venom Universal, AM26 Roadrider	110/90-18 AM18 Super Venom & AM21 Roadrunner
CL 450		1.50bar (22psi)	2.00bar (29psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	50-19 57S TT S.M. MKII
CMX 450 C REBEL	1986 1987	2.20bar (32psi)	2.40bar (34psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	140/90-15 76H AM42 Venom
				AM41 Venom, AM26 Roadrider	

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
HONDA					
CB 500 Four	1971 1973	2.00bar (29psi)	2.50bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
CB 500 K 0-2	1972 1975	2.20bar (32psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18
					AM26 Roadrider, AM18/21)
CB 500 T Tour		2.00bar (29psi)	2.50bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
CB 500, S, Cup	1994	2.00bar (29psi)	2.30bar (33psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	130/80-17 65V AM26 Roadrider, 65H AM52 HKM
CBF 500	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-B, AV59	160/60ZR17 (69W) AV46, AV60 Sport
CBR 500	1995 1997	2.00bar (29psi)	2.30bar (33psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	130/80-17 65V AM26 Roadrider, 65H AM52 HKM
CX 500	1978 1986	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	110/90-18 AM18 Super Venom & AM21 Roadrunner
				AM41 Venom, AM26 Roadrider	
CX 500 C, D, CUSTOM	1979 1983	2.20bar (32psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41	MT90-16 74H AM42 Venom, AM21
				Venom, AM26 Roadrider	Roadrunner, 74V AM18 Super Venom, AM26 Roadrider
CX 500 E EURO SPORT	1982 1983	2.20bar (32psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
FT 500 Ascot	1982 1984	2.00bar (29psi)	2.30bar (33psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom,	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21
				AM26 Roadrider	Roadrunner
GB 500 Tourist Trophy	1989 1990	2.20bar (32psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
GL 500 DX Silverwing	1981 1982	2.20bar (32psi)	2.80bar (40psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom,	MT90-16 74H AM42 Venom, AM21
				AM26 Roadrider	Roadrunner, 74V AM18 Super Venom, AM26 Roadrider
GL 500 I Interstate	1981 1982	2.20bar (32psi)	2.80bar (40psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
				AM41 Venom,	AM26 Roadrider AM26 Roadrider
VF 500 C Magna	1984 1985	2.00bar (29psi)	2.20bar (32psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
VF 500 F, F2E-F,Interceptor	1984 1986	2.20bar (32psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
VT 500 C, Shadow	1983 1986	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
VT 500 ED, EF Euro Sport,FT Ascot	1983 1988	2.30bar (33psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
XBR 500 F, S	1990 1991	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
CB 550 F, K	1974 1978	2.30bar (33psi)	2.70bar (39psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
CBX 550 F	1982 1987	2.20bar (32psi)	2.40bar (34psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
CB600 F (599)	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
CB 600 Hornet	2002 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
CB 600 Hornet Sport	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
CB 600 SF Hornet ('99)	1997 1999	2.50bar (36psi)	2.90bar (42psi)	130/70ZR16 (61W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
CBF 600	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST B, AV59 Sport	160/60ZR17 (69W) AV46-ST, AV60 Sport
CBR 600 F H-J	1987 1988	2.50bar (36psi)	2.90bar (42psi)	110/80ZR17 AV45-ST	140/80ZR17 (69W) AV46-ST
CBR 600 F K-L	1988 1990	2.50bar (36psi)	2.90bar (42psi)	110/80ZR17 AV45-ST	140/80ZR17 (69W) AV46-ST
CBR 600 F M-R, CBR 600 F2	1991 1994	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
CBR 600 F S-W, F3	1995 1998	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
CBR 600 F X, Sport, CBR 600 F4i/Sport	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST B, AV59 Sport	180/55ZR17 (73W) AV46-ST B, AV60 Sport
CBR 600 RR, F4	2003 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV59 Sport	180/55ZR17 (73W) AV60 Sport
F 600	1988 1990	2.00bar (29psi)	2.30bar (33psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	170/80-15 83H AM42 Venom
				AM41 Venom, AM26 Roadrider	
NTV 600 Revere, J, K, M	1988 1992	2.20bar (32psi)	2.50bar (36psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	150/70-17 69V AM26 Roadrider, 69H AM52 HKM
NV 600 C Steed	1994 1996	2.00bar (29psi)	2.00bar (29psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	170/80-15 83H AM42 Venom
				AM41 Venom, AM26 Roadrider	
VT 600 SHADOW, VLX, Deluxe	1988 2004	2.00bar (29psi)	2.00bar (29psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	170/80-15 83H AM42 Venom
				AM41 Venom, AM26 Roadrider	
XL 600 LM, LMF, RM	1983 1988	2.40bar (34psi)	2.90bar (42psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
XL 600 R	1983 1986	2.00bar (29psi)	2.20bar (32psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
XL 600 V Transalp	1996 1999	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	120/90-17 64S AM44 Distanzia
CB 650 C, SC,Nighthawk	1982 1985	2.30bar (33psi)	2.80bar (40psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
				AM41 Venom, AM26 Roadrider	AM26 Roadrider
CB 650 KZ, Z, Custom	1978 1984	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18
					AM26 Roadrider, AM18/21)
CBX 650 Eurosport	1982 1990	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
				AM41 Venom, AM26 Roadrider	AM26 Roadrider
CX 650 C	1983 1987	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	140/90-15 76H AM42 Venom
				AM41 Venom, AM26 Roadrider	
CX 650 Euro Sport	1983 1986	2.30bar (33psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
FX 650 Vigour	2000	2.00bar (29psi)	2.30bar (33psi)	100/90-19 57H AM43 Distanzia	120/90-17 64S AM44 Distanzia
GL 650 D, D2E SILVER WING	1982 1987	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
				AM41 Venom, AM26 Roadrider	AM26 Roadrider
NT 650 Deauville	1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
NT 650 GT, Hawk GT	1992 1997	2.30bar (33psi)	2.50bar (36psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	150/70-17 69V AM26 Roadrider, 69H AM52 HKM
NTV 650 Revere	1992 1997	2.30bar (33psi)	2.50bar (36psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	150/70-17 69V AM26 Roadrider, 69H AM52 HKM
NX 650 Dominator	1988 1999	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	120/90-17 64S AM44 Distanzia
NX 650 Dominator	2001	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	120/90-17 64S AM44 Distanzia
XL 650 Transalp	2000	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54T AM43 Distanzia	120/90-17 64S AM44 Distanzia
XR 650L	1992	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54T AM24 Gripster	110/80-18 58S AM24 Gripster
XRV 650 Africa Twin		2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
CB 700 SC Nighthawk S	1984 1986	2.40bar (34psi)	2.80bar (40psi)	100/90-16 54V AM26 Roadrider, Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
VF 700 C, Magna	1985 1986	2.30bar (33psi)	2.50bar (36psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	140/90-15 76H AM42 Venom
VF 700 C	1987 1989	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	150/90 V15 M/C 74V AM42 Venom
				AM41 Venom, AM26 Roadrider	
VF 700 C Magna	1984 1984	2.30bar (33psi)	2.50bar (36psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
VT 700 C Shadow	1984 1986	2.30bar (33psi)	2.50bar (36psi)	110/90-19 62H AM41 Venom	140/90-15 76H AM42 Venom
VT700 C Shadow	1987	2.30bar (33psi)	2.50bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
CB 750 Nighthawk	1991 2003	2.30bar (33psi)	2.50bar (36psi)	110/80ZR18 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
CB 750 AT (Automatic), K7		2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,	130/90-17 68V AM26 Roadrider, AM18 Super Venom
				AM41 Venom, AM26 Roadrider	
CB 750 C CUSTOM	1981 1994	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
CB 750 F/F2 (D.O.H.C.)		2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18
					AM26 Roadrider, AM18/21)
CB 750 Seven Fifty, (F2, F2N)	1992	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	150/70ZR17 (69W) AV46-ST

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
HONDA					
CB 750, K0-6 SOHC, KZ DOHC	1978 1988	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18
					AM26 Roadrider, AM18/21)
CBR 750	1987 1989	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
CBX 750 F, FE	1983 1988	2.50bar (36psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
NR 750	1992 1993	2.50bar (36psi)	2.90bar (42psi)	130/70ZR16 (61W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
RVF 750 F, RC45	1994 1999	2.80bar (40psi)	3.05bar (44psi)	130/70ZR16 (61W) AV45-ST, AV59 Sport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
VF 750 C, Magna V45	1982	2.30bar (33psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
VF 750 CH, C Magna	1988 1993	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	150/90 V15 M/C 74V AM42 Venom
VF 750 F	1983 1988	2.50bar (36psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
VF 750 S sabre V45	1982 1986	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
VFR 750 F G-H (Interceptor)	1986 1987	2.50bar (36psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
VFR 750 F J-K (Interceptor)	1988 1989	2.50bar (36psi)	2.90bar (42psi)	110/80ZR17 AV45-ST	140/80ZR17 (69W) AV46-ST
VFR 750 F L-P (Interceptor)	1990 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
VFR 750 F S-V	1994 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
VT 750 C Shadow	1983 1987	2.30bar (33psi)	2.70bar (39psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	140/90-15 76H AM42 Venom
XLV 750 R	1984 1988	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
XRV 750 Africa Twin	1989 1999	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	140/80ZR17 69H AM44 Distanzia
VFR 800 FI, VTEC, Interceptor	2000 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
VT800C Shadow	1988 1988	2.30bar (33psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom	140/80-15 76H AM42 Venom
CB 900 C CUSTOM	1982 1982	2.30bar (33psi)	2.80bar (40psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
CB 900 FA, FB, F2B, FZ	1979 1984	2.50bar (36psi)	2.80bar (40psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,AM41 Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
CB 900 FC, F2C, FD, F2D	1983 1987	2.50bar (36psi)	2.80bar (40psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
CB900 Hornet, CB919F	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
CBR 900 RR Fireblade '02	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV59 Sport	190/50ZR17 (73W) AV60 Sport
Fireblade '95	1992 1995	2.50bar (36psi)	2.90bar (42psi)	130/70ZR16 (61W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Fireblade '96 on	1996 1999	2.50bar (36psi)	2.90bar (42psi)	130/70ZR16 (61W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Fireblade Evolution ('00-'01)	2000 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Fireblade Evolution '99	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
919	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST B, AV59 Sport	190/50ZR17 (73W) AV46-ST B, AV60 Sport
CB 1000 F	1992 2002	2.50bar (36psi)	2.90bar (42psi)	No Avon Tyre Fitment for this Model	-
CBR 1000 F H-J, Hurricane	1987 1988	2.50bar (36psi)	2.90bar (42psi)	110/80ZR17 AV45-ST	140/80ZR17 (69W) AV46-ST
CBR 1000 F K Onwards Hurricane	1989 1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
CBR 1000 R	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV59 Sport	190/50ZR17 (73W) AV60 Sport
CBX 1000 B, C, Pro Link	1981 1987	2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
CBX 1000 Z	1979 1985	2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,AM41 Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
GL 1000 K 0-3, Goldwing	1975 1979	2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider,AM41 Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
VF 1000 FE, F2	1984	2.50bar (36psi)	2.90bar (42psi)	120/80ZR16 (60W) AV45-ST	140/80ZR17 (69W) AV46-ST
VF 1000 FF, F2F, B'ol D'or	1985	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	140/80ZR17 (69W) AV46-ST
VF 1000 R, Interceptor	1984 1987	2.50bar (36psi)	2.90bar (42psi)	120/80ZR16 (60W) AV45-ST	140/80ZR17 (69W) AV46-ST
VTR 1000 F Firestorm, Super Hawk	1997 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
VTR 1000R	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
VTR1000 Firestorm SP-1, RC51	2000 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
VTR1000 Firestorm SP-2, RC51	2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
XL 1000V Varadero (SD 01)	1999	2.50bar (36psi)	2.80bar (40psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
XL 1000V Varadero (SD 02)	2001	2.50bar (36psi)	2.80bar (40psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
XL 1000V Varadero (SD 02)	2003	2.50bar (36psi)	2.80bar (40psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
CB 1100	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	170/60ZR17 (72W) AV46-ST
CB 1100 RB	1978 1981	2.50bar (36psi)	2.90bar (42psi)	100/90-19 57V AM18 Super Venom Universal	130/80-18 66V AM26 Roadrider, AM18 Super Venom
CB 1100 RC-D	1982 1983	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
CBR 1100 XX Super Blackbird	1997 2004	2.90bar (42psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST B Sport, AV59 Sport	180/55ZR17 (73W) AV46-ST B Sport, AV60 Sport
GL 1100 DX	1980 1981	2.50bar (36psi)	2.90bar (42psi)	100/90-19 62H AM41 Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GL 1100 Gold Wing Aspencade, Interstate	1981 1983		2.80bar (40psi)	3.05bar (44psi)	120/90-18 71H AM41 Venom 140/90 B16 77H AM42 Venom
ST 1100 A Pan European	1996 2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR18 (59W) AV45-ST	160/70 R17 79V AV46-ST
ST 1100 Pan European	1991 2003	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	160/70 R17 79V AV46-ST
VF 1100 C, Magna V65	1983 1988	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	140/90 B16 77H AM42 Venom
VF 1100 C,S sabre V65	1984 1985	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
VF 1100 F	1978 1979	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
VT 1100 C Shadow/ Spirit	1987 1997	2.30bar (33psi)	2.80bar (40psi)	110/90-19 62H AM41 Venom	170/80-15 83H AM42 Venom
VT 1100 C2 Shadow, Ace, Sabre	1995 2000	2.30bar (33psi)	2.80bar (40psi)	120/90-18 71H AM41 Venom	170/80-15 83H AM42 Venom
VT1100 C Shadow	1985 1986	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	140/90-15 76H AM42 Venom
CB1100 SF X-11	2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GL 1200 DX, DL, Goldwing	1984 1987	2.50bar (36psi)	2.90bar (42psi)	MT90 B16 74H AM41 Venom (also NW,WW)	150/90 B15 M/C 80H AM42 Venom
CB 1300 F (Super Four)	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV59 Sport	180/55ZR17 (73W) AV60 Sport
CB 1300 F (Super Four)	2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV59 Sport	180/55ZR17 (73W) AV60 Sport
ST 1300 Pan European ABS	2002			No Avon Tyre Fitment for this Model	
VTX 1300	2002			No Avon Tyre Fitment for this Model	
VTX1300 C	2004	2.30bar (33psi)	2.80bar (40psi)	110/90-19 62H AM41Venom	170/80-15 83H AM42 Venom
F6C 1500 VALKYRIE,Tour,Interstate	1997 2003	2.50bar (36psi)	2.90bar (42psi)	150/80 R17 72H AM41 Venom R	180/70 R16 77H AM42 Venom R
GL 1500 Gold Wing	1988 2001	2.50bar (36psi)	2.90bar (42psi)	130/70 B18 69H AM41 Venom	160/80 B16 81H AM42 Venom
GL 1800 Goldwing	2001 2004	2.50bar (36psi)	2.90bar (42psi)	130/70 R18 63H AM41 Venom R	180/60 R16 74H AM42 Venom R
VTX (Retro 1800)	2001 2004	2.50bar (36psi)	2.90bar (42psi)	150/80 R17 72H AM41 Venom R	180/70 R16 77H AM42 Venom R
VTX 1800 C	2001 2004	2.50bar (36psi)	2.90bar (42psi)	130/70 R18 63H AM41 Venom R	180/70 R16 77H AM42 Venom R
HONDA SCOOTER					
Ruckus 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
SDX 50 S				100/80-16 AV63	120/80-16 AV63
X8R-S 50				120/70-13 AV63	140/60-13 AV63
X8R-X 50				120/80-12 No Avon Tyre Fitment for this Model	120/80-12 No Avon Tyre Fitment for this Model
@125				110/90-13 AV63	130/70-13 AV63
Dylan 125				110/90-13 AV63	130/70-13 AV63
Pantheon 125				110/90-12 AV63	130/70-12 AV63
SH 125/150				100/80-16 AV63	120/80-16 AV63
Pantheon 150				110/90-13 AV63	130/70-12 AV63
Foresight 250				110/90-12 AV63	130/70-12 AV63
Reflex 250				110/90-13 AV63	130/70-12 AV63
Jazz 250				110/90-13 AV63	130/70-12 AV63

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
HONDA SCOOTER					
Silverwing 600				120/80-14 AV63	150/70-13 AV63
HOREX					
HRD 500		2.20bar (32psi)	2.50bar (36psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
HRD 600		2.20bar (32psi)	2.50bar (36psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
HUSABERG					
FS400c,400e		2.00bar (29psi)	2.30bar (33psi)	120/70 R17 (55W) AV59 Sport,Supersport,AM44 Distanzia	150/60ZR17 (61W) AV60 Sport, AM44 Distanzia
FE501SM, FC600SM,FE600SM		2.00bar (29psi)	2.30bar (33psi)	120/70 R17 (55W) AV59 Sport,Supersport,AM44 Distanzia	150/60ZR17 (61W) AV60 Sport, AM44 Distanzia
FS650c, FS650e		2.00bar (29psi)	2.30bar (33psi)	120/70 R17 (55W) AV59 Sport,Supersport,AM44 Distanzia	150/60ZR17 (61W) AV60 Sport, AM44 Distanzia
HUSQVARNA					
SM125S		2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (55W) AV59 Sport,Supersport,AM44 Distanzia	150/60 R17 (61W) AV60 Sport, Supersport, AM44 Distanzia
SM400R, 450R		2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (55W) AV59 Sport,Supersport,AM44 Distanzia	150/60 R17 (61W) AV60 Sport, Supersport, AM44 Distanzia
SM570R, SM570S		2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (55W) AV59 Sport,Supersport,AM44 Distanzia	150/60 R17 (61W) AV60 Sport, Supersport, AM44 Distanzia
LT610,SM610 E,R,S TE610		2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (55W) AV59 Sport,Supersport,AM44 Distanzia	150/60 R17 (61W) AV60 Sport, Supersport, AM44 Distanzia
HYOSUNG					
600 Comet		2.30bar (33psi)		110/70ZR17 (54W) AV45-ST	150/70ZR17 (69W) AV46-ST
INDIAN					
1340 Chief	1999 2003	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H Venom, Roadrunner & Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
1340 Scout	2000 2003	2.50bar (36psi)	2.80bar (40psi)	410-19 61H TT Universal Roadrunner (also 100/90-19 AM18)	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
1340 Spirit	2003 2003	2.50bar (36psi)	2.80bar (40psi)	MT90 B16 74H Venom, Roadrunner & Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
ITALJET SCOOTER					
Dragster 50				120/70-11 No Avon Tyre Fitment for this Model	140/60-12 No Avon Tyre Fitment for this Model
Formula 50				120/70-11 No Avon Tyre Fitment for this Model	130/70-12 AV63
Jet Set 50				120/70-12 AV63	120/70-12 AV63
Velocifero 50 97-				100/90-10 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model
Yankee 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Millenium 100				120/70-12 AV63	130/70-12 AV63
Dragster 125				120/70-11 No Avon Tyre Fitment for this Model	130/60-13 AV63
Formula 125				120/70-11 No Avon Tyre Fitment for this Model	130/70-12 AV63
Jet Set 125				120/70-12 AV63	130/70-12 AV63
Millenium 125				120/70-12 AV63	130/70-12 AV63
Jet Set 150				120/70-12 AV63	130/70-12 AV63
Millenium 150				120/70-12 AV63	130/70-12 AV63
Dragster 180				120/70-11 No Avon Tyre Fitment for this Model	130/60-13 AV63
Jupiter 250				110/90-12 AV63	130/70-12 AV63
JIALING					
JH 125 L Trailblazer		2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
KAWASAKI					
KDX 125		1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
KMX, KE 125	1980 1986	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S, 110/80-18 58S AM44 Distanzia
KX 125	1998	1.80bar (26psi)	2.00bar (29psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
KE 175 D, F	1979 1986	1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
KDX 200,220R, 220SR		1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
KMX 200		1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	120/90-17 64S AM44 Distanzia
GPZ 250		2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
KH 250	1977 1980	2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
KL 250 Super Sherpa	2000 2003	1.80bar (26psi)	2.00bar (29psi)	300-21 51S, 90/90-21 54T AM43 Distanzia	400-18 64S, 110/80-18 58S AM44 Distanzia
KLX 250, KDX 250SR,ES,	1993 1997	1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
KLR250	1985 2004	1.80bar (26psi)	2.00bar (29psi)	90/90-21 54T AM43 Distanzia	120/90-17 64S AM44 Distanzia
KR 250 S		2.00bar (29psi)	2.30bar (33psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
KR-1 250		2.00bar (29psi)	2.20bar (32psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-18 63V AM26 Roadrider, 63H AM52 HKM
KR-1S		2.00bar (29psi)	2.20bar (32psi)	No Avon Tyre Fitment for this Model	-
Z 250 SCORPION	1983 1990	2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
GPZ 305 Belt Drive	1983 1995	2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
400 Vulcan	1994	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	140/90-15 76H AM42 Venom
400 Vulcan	1995	2.00bar (29psi)	2.50bar (36psi)	MH90-21 AM41 Venom	140/90 B16 77H AM42 Venom
400 Vulcan Classic		2.00bar (29psi)	2.50bar (36psi)	MT90-16 74H Roadrunner Front& Super Venom Universal	140/90 B16 77H AM42 Venom
400 Xanthus	1997	2.30bar (33psi)	2.50bar (36psi)	110/70 R17 (54W) AV45-ST	160/60ZR17 (69W) AV46-ST
GPX 400 R		2.30bar (33psi)	2.80bar (40psi)	100/90-16 54V AM26 Roadrider, Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
GPZ 400 F		2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
GPZ 400 R		2.30bar (33psi)	2.80bar (40psi)	100/90-16 54V AM26 Roadrider, Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
KH 400 A	1976 1982	2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
KLE 400	1991 1992	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
Z 400 B, G		2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
Z 400 D		2.00bar (29psi)	2.50bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
ZR 400 Zephyr	1996	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (55W) AV45-ST, AV59 Sport, Supersport	150/70ZR17 (69W) AV46-ST
ZXR 400		2.30bar (33psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
ZZ-R 400	1990 1991	2.30bar (33psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
Z 440		2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
Z 440 H		2.00bar (29psi)	2.50bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
Z 440 LTD Belt Drive	1980 1983	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
LTD 450, EN450	1985 1990	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	140/90-15 76H AM42 Venom
EN 500 C Vulcan Ltd	1996 2004	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	140/90-15 76H AM42 Venom

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
KAWASAKI					
EN 500 Vulcan A, B	1989 1995	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	140/90-15 76H AM42 Venom
ER-5 C, D Twister	2001	2.30bar (33psi)	2.80bar (40psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
ER-5 A, B Twister	1994 2000	2.00bar (29psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
GPZ 500 S, EX500	1987 1993	2.00bar (29psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
GPZ 500 S, EX500, Ninja 500R	1994 2004	2.30bar (33psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
KH 500, H1 Mach III	1969 1977	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
KL 500 A1-2, B1	1987 1989	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
KLE 500 A, A1	1991	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
Z 500 B	1979 1980	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
GPZ 550	1981 1983	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
GPZ 550	1984 1991	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
Z 550 D, F, GP	1983 1986	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
Z 550 GT (GT 550)	1983 1995	2.00bar (29psi)	2.70bar (39psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18
					AM26 Roadrider, AM18/21)
Z 550 LTD C1, C2, C3, C4, E1	1980 1984	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
ZR Zephyr 550	1994 1999	2.00bar (29psi)	2.50bar (36psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	140/70-18 67V Roadrider, AM18 Super Venom
GPX 600 R		2.20bar (32psi)	2.50bar (36psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
GPZ 600 Blackbird A1-5	1985 1989	2.20bar (32psi)	2.50bar (36psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
KLR 600	1985 1989	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80R17 65H AM44 Distanzia
ZL 600 Eliminator	1986 1987	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	150/90 B15 M/C 80H AM42 Venom
ZX-6R, Ninja	1998 1999	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
ZX-6R, Ninja	2000 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (55W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
ZX-6R Ninja F1-3	1995 1997	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
ZZ-R 600 D, Ninja ZX6	1990 1992	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
ZZ-R 600 E	1993	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
636 ZX-6R	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (55W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
KL 650 Tengai A1-3, B	1987	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
KLR 650 C, C9	1995 2004	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	120/90-17 64S AM44 Distanzia
KLR 650 Tengai	1988 1994	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
KLX 650	1992 1997	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
W 650	1999 2002	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
Z 650 C, F	1976 1984	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
Z 650 SR	1979 1983	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
ZN 700 LTD A1, A2	1984 1985	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
VN700 Vulcan	1985 1994	2.20bar (32psi)	2.50bar (36psi)	100/90H19 57H AM41 Venom	150/90B15 80H AM42 Venom
GPX 750 R, Ninja	1987 1988	2.30bar (33psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	140/70-18 67V AM26 Roadrider, AM18 Super Venom
GPZ 750 R, Ninja	1987 1990	2.50bar (36psi)	2.90bar (42psi)	No Avon Tyre Fitment for this Model	-
GPZ 750 Turbo E1-2		2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
GPZ 750, (Fairing)	1983 1989	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
VN 750 Vulcan (VZ 750)	1993	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	150/90 B15 M/C 80H AM42 Venom
VZ 750	1984 1985	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	150/90 B15 M/C 80H AM42 Venom
Z 750 GT (GT 750)		2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
Z 750 LTD Twin, Four	1982 1983	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
Z 750	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (55W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
ZR 750 Zephyr C1-5, D (Spoked Wheels)	1991 1996	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
ZR-7 750	1999 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
ZR-7S (Half Fairing)	2001 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
ZX-7 R, RR 750, Ninja	1996 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
ZXR 750 H, Ninja, ZX-7	1989 1990	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
ZXR 750 J, R, Stinger, Ninja ZX-7	1996 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
ZXR 750 L, RM, Stinger, Ninja ZX-7	1996 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
VN 800 Vulcan	1995 2004	2.00bar (29psi)	2.50bar (36psi)	80/90-21 48H AM41 Venom	140/90 B16 77H AM42 Venom
VN 800 B Classic, Drifter	1996 2004	2.00bar (29psi)	2.50bar (36psi)	MT90 B16 74H AM41 Venom (also NW,WW)	140/90 B16 77H AM42 Venom (& WW)
Ninja ZX-9 R	2000 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV59 Sport	190/50ZR17 (73W) AV60 Sport
Z 900	1973	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
Z1 900	1974 1976	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
ZX-9 R Ninja	2000 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
ZX-9 R ('94-'97)Ninja	1994 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
ZX-9 R ('98-'99)Ninja	1998 1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GPZ 900 R	1989	2.50bar (36psi)	2.90bar (42psi)	120/80-16 60V AM26 Roadrider	130/80-18 66V AM26 Roadrider
GPZ 1000 RX		2.50bar (36psi)	2.90bar (42psi)	120/70ZR18 (59W) AV45-ST	150/80ZR16 (71W) AV46-ST
GTR 1000 Concours	1986 1993	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	150/80ZR16 (71W) AV46-ST
GTR 1000 Concours	1994 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR18 (59W) AV45-ST	150/80ZR16 (71W) AV46-ST
ZX1000 A Ninja	1986 1987	2.50bar (36psi)	2.90bar (42psi)	120/80R16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
Z 1000	2003 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
KZ 1000 J, R	1981 1984	2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
KZ 1000 LTD	1981 1983	2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
KZ 1000 ST	1979 1983	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
ZX 10 Tomcat, Ninja	1988 1991	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
ZX10R Ninja	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GPZ 1100 Unitrak, ZX-1100	1983 1984	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GPZ 1100, ABS, Ninja ZX-11	1989 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
Z 1100 GP	1983 1988	2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	120/90-18 65V AM18 Super Venom
Z 1100 R	1984 1985	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
Z 1100 ST	1984 1985	2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
Zephyr 1100, ZR	1992 1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR18 (58W) AV45-ST	160/70 R17 79V AV46-ST
ZN 1100 LTD B1-2	1984 1985	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
ZRX 1100	1996 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
KAWASAKI					
ZRX 1100	1999 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
ZZ-R 1100 C	1989 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
ZZ-R 1100 D/G	1993 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
1200 Voyager XII, ZG1200	1986 2003	2.80bar (40psi)	3.05bar (44psi)	MT90 B16 74H AM41 Venom	150/90 B15 M/C 80H AM42 Venom
ZRX 1200 (All Models)	2001 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
ZX-12R, Ninja	2000 2004	2.90bar (42psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST B	190/50ZR17 (73W) AV46-ST B or 200/50ZR17 (73W) AV46-ST
ZZ-R 1200	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Z 1300 DFI	1979	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
ZN 1300 Voyager	1983 1988	2.80bar (40psi)	3.05bar (44psi)	120/90-18 71H AM41 Venom	140/90 B16 77H AM42 Venom
VN 1500 Vulcan, SE Spoke	1987 1999	2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	150/90 B15 M/C 80H AM42 Venom
VN 1500 Classic	1996 2004	2.30bar (33psi)	2.50bar (36psi)	MT90-16 74H AM41 Venom & Super Venom Universal	150/80-16 71V AM26 Roadrider, AM18 Super Venom & 150/80-16 77H AM42 Venom
VN 1500 Classic Tourer, Nomad,Fi	1998 2004	2.30bar (33psi)	2.50bar (36psi)	150/80-16 71H AM41 Venom & AM18 Super Venom Universal	150/80-16 71V AM26 Roadrider, AM18 Super Venom & 150/80-16 77H AM42 Venom
VN 1500 Drifter	1999 2004	2.30bar (33psi)	2.50bar (36psi)	MT90-16 74H AM41 Venom & Super Venom Universal	150/80-16 71V AM26 Roadrider, AM18 Super Venom & 150/80-16 77H AM42 Venom
KTM					
125 Sting	1998	2.00bar (29psi)	2.30bar (33psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
EGS 125, EXC 125		2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
EURO 125		2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
Supermoto		2.30bar (33psi)	2.50bar (36psi)		
EGS 350		2.00bar (29psi)	2.30bar (33psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
400 Duke	1995 1997	2.20bar (32psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 or 160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
LSE 400		2.00bar (29psi)	2.30bar (33psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM43 Distanzia
620 Duke	1995 1998	2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (58W) AV45-ST, AV59 Sport, Supersport, AM43	150/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport or 160/60R17 AM44
620 LC4 LSE		2.00bar (29psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM43 Distanzia
640 Duke, Duke 2	1999 2002	2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (58W) AV45-ST, AV59 Sport, Supersport, AM43	150/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport or 160/60 R17 AM44
640 LC4 Adventure		2.20bar (32psi)	2.50bar (36psi)	No Avon Tyre Fitment for this Model	-
640 LC4 Enduro		2.20bar (32psi)	2.50bar (36psi)	No Avon Tyre Fitment for this Model	-
SXC 620	1999	2.20bar (32psi)	2.50bar (36psi)	No Avon Tyre Fitment for this Model	-
640 AE Supermoto	1999	2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (58W) AM43	160/60 R17 (69W) AM44
Duke Last Edition	1999	2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (58W) AV45-ST, AV59 Sport, Supersport,AM43	160/60 R17 (69W) AV46-ST, AV60 Sport, Supersport, AM44
640 Supermoto LC4, LC4-E	1999	2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (58W) AV45-ST, AV59 Sport, Supersport,AM43	160/60 R17 (69W) AV46-ST, AV60 Sport, Supersport, AM44
SMC 660	1999	2.20bar (32psi)	2.50bar (36psi)	120/70 R17 (58W) AV45-ST, AV59 Sport, Supersport,AM43	160/60 R17 (69W) AV46-ST, AV60 Sport, Supersport, AM44
950 Adventure				No Avon Tyre Fitment for this Model	
KYMCO					
Stryker 125 Off Road		1.50bar (22psi)	1.80bar (26psi)	90/90-21 54T AM43 Distanzia	130/80-17 65T AM44 Distanzia
Kymco Scooter					
People 250				110/70-16 AV63	140/70-16 AV63
Spacer 50/125				120/70-12 AV63	130/70-12 AV63
Super 9 50				120/70-12 AV63	130/70-12 AV63
Yup 50				120/70-12 AV63	130/70-12 AV63
ZX 50				110/70-12 No Avon Tyre Fitment for this Model	120/70-12 AV63
Ego 125				120/70-12 AV63	130/70-12 AV63
Miler 125				120/70-12 AV63	140/70-12 AV63
Movie XL125				120/70-12 AV63	130/70-12 AV63
Vivio 125/150				100/90-10 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model
Grand Dink 125/150				120/70-12 AV63	140/70-12 AV63
Dink 125/150				110/70-12 No Avon Tyre Fitment for this Model	120/70-12 AV63
Bet & Win 250				120/70-12 AV63	140/70-12 AV63
EGO 250				120/70-12 AV63	140/70-12 AV63
LAVERDA					
125 Enduro		2.20bar (32psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	400-18 64S AM44 Distanzia
250 Enduro		2.30bar (33psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
500 Alpino, Montjuich,4T		2.20bar (32psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
500 SFC/4T		2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
650 LYNX	2000 2000			120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
650 SPORT FORMULA	1995	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
668 Ghost, (Legend, Strike, Diamanti)	1996 1997	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
668 Sport	1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
750 SF, G, SF3, SR	1973 1983	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
750 SPORT FORMULA, Café, Supersport	1998 2000	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
750 Strike	1999 2000	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
750 Sport	1998 2000	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
1000 JOTA, RGS, SPORT, CORSA	1973 1989	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
1000 SFC	1986 1989	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	130/80-18 66V AM26 Roadrider, AM18 Super Venom
1000 SFC	2003 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
1200 Jota, Mirage, TS	1978 1982	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
MALAGUTI SCOOTER					
Mach G50				110/70-12 No Avon Tyre Fitment for this Model	130/70-12 AV63
Rocket 50				120/70-12 AV63	130/70-12 AV63
Stunt 50				120/80-12 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Nitro 50/100				130/60-13 AV63	140/60-13 AV63
Ovetto 50/100				120/70-12 AV63	130/70-12 AV63
Doodo 125				120/70-12 AV63	120/70-12 AV63
Flame F 125				110/70-12 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model
Flame R 125				3.50-10 No Avon Tyre Fitment for this Model	3.50-10 No Avon Tyre Fitment for this Model
Flame X 125				110/70-12 No Avon Tyre Fitment for this Model	120/70-12 AV63
Rocket 125				120/70-12 AV63	130/70-12 AV63
Skyliner 125/180				120/70-12 AV63	130/70-12 AV63
Skyliner 250				110/90-12 AV63	130/70-12 AV63
Kilibre 300				130/60-13 AV63	140/60-13 AV63
Skyliner 400				120/80-14 AV63	150/70-13 AV63
Karisma 125				100/90-10 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
MALAGUTI SCOOTER					
Elit 150				120/70-12 AV63	130/70-12 AV63
MOTO GUZZI					
125 TT	1986 1989	2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
V 35 I, II, Immola		2.20bar (32psi)	2.60bar (37psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
V 35 III		2.20bar (32psi)	2.60bar (37psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
V 35 TT		2.00bar (29psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	460-18 64S AM44 Distanzia
V 35C Custom	1991	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
V 50 C Custom	1987	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
V 50 I, II, III, Monza	1987	2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
V 65 II, Florida, California	1986 1994	2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
V 65 SP, GT		2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
V 65 TT, MK II Trail, NTX	1985 1987	2.00bar (29psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	460-18 64S AM44 Distanzia
V65 Lario	1985 1987	2.50bar (36psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	MT90-16 74V AM18 Super Venom
750 Nevada	1991 1995	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
750 Nevada	1999 2000	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
750 Strada, S3	1994 1994	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
750 Targa	1991 1994	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
V 75	1987 1989	2.50bar (36psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
V7, Special		2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	4.00-18 64V Roadrider, 64H Roadrunner AM21
V750ie Breva	2003 2004	2.50bar (36psi)	2.70bar (39psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/80-17 64H AM52 HKM
850 Le Mans I, II, III	1980 1985	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
850 T3, T4		2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
850 T5 '83-'84	1983 1984	2.50bar (36psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
850 T5 '85 on	1985	2.50bar (36psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
1000 California II		2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
1000 California III / C	1989 1993	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
1000 California III / C Injection,	1989 1993	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
1000 S ,Convert J	1975 1983	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
1000 DAYTONA	1992 1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
1000 DAYTONA RS	1996 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
1000 G 5	1978 1979	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
1000 Le Mans IV		2.50bar (36psi)	2.90bar (42psi)	120/80-16 60V AM26 Roadrider	130/80-18 66V AM26 Roadrider
1000 Le Mans V	1989 1992	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
1000 Le Mans, II, Ago, III, DMB		2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
1000 Quota	1990 2000	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
1000 S	1991 1993	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
1000 SP		2.50bar (36psi)	2.90bar (42psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
1000 SP II		2.50bar (36psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
1000 SP III	1991 1993	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM18 Super Venom Universal	120/90-18 65V AM18 Super Venom
1000 V10 Centauro, GT, Sport	1996 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
Mille GT	1988 1991	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
1100 California Evoluzione, Jackal, Bassa	1997 2000	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	140/80ZR17 (69W) AV46-ST
1100 Quota	1999 2000	2.50bar (36psi)	2.90bar (42psi)	90/90-21 54H AM43 Distanzia	130/80 R17 65H AM43 Distanzia
1100 Sport	1994 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
1100 Sport, 1100i	1994 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/70ZR17 79V AV46-ST
V11 Sport, 1100	1999 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
V11 Sport Naked, Scura, LeMans	2001 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
MGS01 Serie	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
MGS01 Serie Corsa	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Griso	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	200/50ZR17 (73W) AV46-ST
1100 Breva	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
MOTORAMA SCOOTER					
Go Go 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Grand Prix 50				120/70-12 AV63	120/70-12 AV63
Road Runner 50				130/60-13 AV63	130/60-13 AV63
Scrambler 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Stinger 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Wasp 50				3.00-10 No Avon Tyre Fitment for this Model	3.00-10 No Avon Tyre Fitment for this Model
Grand Prix 100				120/70-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Road Runner 100				130/60-13 AV63	130/60-13 AV63
Grand Prix 125				120/70-12 AV63	120/70-12 AV63
Road Runner 125				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
MORINI					
125 Kanguro		2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
.5 SPORT 350, STRADA		2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
/2 KLASSIC 350, TOURING		2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
/2 V, S 350		2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	350-18 56S TT Supreme 180
350 Excalibur	1988 1993	2.20bar (32psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
350 K 2		2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 61V AM18 Super Venom Universal
350 Kanguro	1985 1989	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54H AM43 Distanzia	400-18 64S AM44 Distanzia
400 S		2.00bar (29psi)	2.30bar (33psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
501 Excalibur RLX		2.00bar (29psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
500 Maestro		2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
500 t,s		2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	4.00-18 64V Roadrider, 64H Roadrunner AM21
500 V-Classic		2.00bar (29psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	4.00-18 64V Roadrider, 64H Roadrunner AM21
501/2 Camel		2.00bar (29psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
501 Coguaro		2.00bar (29psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
MOTRON SCOOTER					
Sting 50				100/80-10 No Avon Tyre Fitment for this Model	100/80-10 No Avon Tyre Fitment for this Model
Syncro 50				130/60-13 AV63	130/60-13 AV63
Thunder 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
MUZ					
ETZ 251		2.00bar (29psi)	2.40bar (34psi)	No Avon Tyre Fitment for this Model	-
ETZ 251 Saxon Tour		2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
500 Silver Star, Classic,	1993 1994	2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
Voyager, Red Star					
660 Skorpion Replica,		2.00bar (29psi)	2.50bar (36psi)	120/60ZR17 AV45-ST, AV59 Sport, Supersport	160/60ZR17 (61W) AV60 Sport, Supersport
Supersport, Mastiff					
660 Skorpion Sport, Tour, Traveller		2.00bar (29psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
Baghira	1997 2001	1.80bar (26psi)	2.00bar (29psi)	90/90-21 54T AM24/AM43	120/80-18 62S AM24/AM44
1000 S	2003 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
MUZ SCOOTER					
Moskito				100/90-10 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model
Moskito SX				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Moskito 125				120/70-12 AV63	120/70-12 AV63
MV AGUSTA					
750 F4, F4 S, SPR, Senna, Brutale, Strada	1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
750 GT, S, S America	1973	2.20bar (32psi)	2.50bar (36psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
NORTON					
600 F1	1991 1992	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
600 F2, TT		2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
C 652 Combat	2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR17 (69W) AV46-ST
C 652 SM International	1999	2.50bar (36psi)	2.90bar (42psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
750 Commando	1970 1971	2.00bar (29psi)	2.20bar (32psi)	100/90-19 57V AM18 Super Venom Universal	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18 AM26 Roadrider, AM18/21)
750 Interstate, Roadster	1972	2.00bar (29psi)	2.20bar (32psi)	410-19 61H TT Universal Roadrunner (also 100/90-19 AM18)	410-19 61H TT Universal Roadrunner (also 100/90-19 57V AM18, AM26 Roadrider)
850 Interstate, Roadster	1973	2.00bar (29psi)	2.20bar (32psi)	410-19 61H TT Universal Roadrunner (also 100/90-19 AM18)	410-19 61H TT Universal Roadrunner (also 100/90-19 57V AM18, AM26 Roadrider)
PEUGEOT SCOOTER					
Buxy 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Elyseo 50				120/70-12 AV63	120/70-12 AV63
Jet Force 50				130/60-13 AV63	130/60-13 AV63
Metal-X 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Speedake 50				120/70-12 AV63	130/70-12 AV63
Speedfight 50 LC				120/70-12 AV63	140/70-12 AV63
Speedfight II 50				120/70-12 AV63	130/70-12 AV63
Squab 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Zenith 50 LM/LS				100/90-10 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model
Trekker Road 50/100				120/70-12 AV63	130/70-12 AV63
Vivacity 50/100				120/70-12 AV63	130/70-12 AV63
Vivacity 100				120/70-12 AV63	130/70-12 AV63
Speedfight 100 / II				120/70-12 AV63	140/70-12 AV63
Elyseo 125				120/70-12 AV63	130/70-12 AV63
Jet Force 125				130/60-13 AV63	140/60-13 AV63
PGO SCOOTER					
Big Max 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Big Max 50 Sport				120/70-12 AV63	130/70-12 AV63
BuBu 50				3.50-10 No Avon Tyre Fitment for this Model	3.50-10 No Avon Tyre Fitment for this Model
Comet 50				3.00-10 No Avon Tyre Fitment for this Model	3.00-10 No Avon Tyre Fitment for this Model
Mega 50				90/90-10 No Avon Tyre Fitment for this Model	90/90-10 No Avon Tyre Fitment for this Model
PMS 50				120/70-12 AV63	130/70-12 AV63
PMX 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
PMX 50 Sport				120/70-12 AV63	130/70-12 AV63
Rodoshow 50				90/90-10 No Avon Tyre Fitment for this Model	90/90-10 No Avon Tyre Fitment for this Model
T-Rex 50				120/70-12 AV63	130/70-12 AV63
Tornado 50				120/70-12 AV63	130/70-12 AV63
Big Max 100				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
PMX 100 Sports				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
PMS 110				120/70-12 AV63	130/70-12 AV63
BuBu 125				3.50-10 No Avon Tyre Fitment for this Model	3.50-10 No Avon Tyre Fitment for this Model
Charge 125				100/90-10 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model
T-Rex 125				120/70-12 AV63	130/70-12 AV63
PIAGGIO SCOOTER					
NRG 50				130/60-13 AV63	130/60-13 AV63
Typhoon 50				120/90-10 No Avon Tyre Fitment for this Model	120/90-10 No Avon Tyre Fitment for this Model
Zip 50				100/80-10 No Avon Tyre Fitment for this Model	120/70-10 No Avon Tyre Fitment for this Model
Zip II 50				100/80-10 No Avon Tyre Fitment for this Model	100/80-10 No Avon Tyre Fitment for this Model
B125				110/70-16 AV63	140/70-16 AV63
Hexagon 125				110/80-10 No Avon Tyre Fitment for this Model	130/70-10 No Avon Tyre Fitment for this Model
Skipper 125				120/70-12 AV63	130/70-12 AV63
X9 125				120/70-14 AV63	140/60-14 AV63
Zip 125				100/80-10 No Avon Tyre Fitment for this Model	120/70-10 No Avon Tyre Fitment for this Model
X9 Evolution 125/200				120/70-14 AV63	140/60-14 AV63
X8 125/200				120/70-14 AV63	130/70-12 AV63
Liberty 125				90/80-16 No Avon Tyre Fitment for this Model	110/80-14 No Avon Tyre Fitment for this Model
B 125				110/70-16 AV63	140/70-16 AV63
Hexagon 150				110/80-10 No Avon Tyre Fitment for this Model	130/70-10 No Avon Tyre Fitment for this Model
Beverly 200				110/70-16 AV63	140/70-16 AV63

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
PIAGGIO SCOOTER					
Vespa GT 200 L				120/70-12 AV63	130/70-12 AV63
Hexagon 250				120/70-11 No Avon Tyre Fitment for this Model	130/70-11 No Avon Tyre Fitment for this Model
X9 250				120/70-14 AV63	150/70-14 AV63
Beverly 500				110/70-16 AV63	150/70-14 AV63
B 500				110/70-16 AV63	150/70-14 AV63
X9 Evolution 500				120/70-14 AV63	150/70-14 AV63
NR G DD/DT				130/60-13 AV63	130/60-13 AV63
SACHS					
ZX 125		1.60bar (23psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
Roadster 800		2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
SUZUKI					
DR 125	1986 1987	2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
GZ 125 U	1996	2.00bar (29psi)	2.50bar (36psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	140/90-15 76H AM42 Venom
RA 125	1984 1984	2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
RH 125 X F-H	1985 1987	2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
TS 125 ER, R, X	1980 1981	2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
TS 185 ER	1980 1981	2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
SB 200	1979 1980	2.00bar (29psi)	2.30bar (33psi)	No Avon Tyre Fitment for this Model	-
TS 200 RM	1991 1994	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	120/80-18 62S AM44 Distanzia
TS 240 X J-K		2.00bar (29psi)	2.30bar (33psi)	90/90-21 54H AM43 Distanzia	120/90-17 64S AM44 Distanzia
250 Bandit	1997 2000	2.00bar (29psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
250 Goose	1991 1992	2.00bar (29psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
GF 250 S	1985	2.00bar (29psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
GS 250 FW	1984 1984	2.00bar (29psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
GS 250 T	1980 1984	2.00bar (29psi)	2.50bar (36psi)	No Avon Tyre Fitment for this Model	-
GSX 250 E	1980 1984	2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
GSX 250 X, U		2.00bar (29psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
GT 250	1973 1977			90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
GT 250 X7	1977			90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
GZ 250 S	1998 1999	2.00bar (29psi)	2.50bar (36psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	140/90-15 76H AM42 Venom
RG 250 WE, WG,Gamma	1985 1989	2.00bar (29psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
RGV 250 M, N, P, R, S	1991 1995	2.00bar (29psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
RGV 250 SP	1996	2.00bar (29psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
RH 250 X	1984 1988	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
TS 250 ER	1974 1981	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
TS 250 X E-J	1985 1989	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
DR 350 N, SEV	1991 1996	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
DR 350 S, SE, SH	1990 1996	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54T AM43 Distanzia	120/80-18 62S AM44 Distanzia
DR 350, S		2.00bar (29psi)	2.30bar (33psi)	90/90-21 54T AM43 Distanzia	120/80-18 62S AM44 Distanzia
DR 400 S	1980	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
SP 370, SR 370	1980	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
GT 380	1972 1977	2.00bar (29psi)	2.50bar (36psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	350-18 56S TT Supreme 180
DR-Z 400 S/E	2000 2004	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54T AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
GS 400 E	1991 1992	2.00bar (29psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
GSF 400 M, P, R, BANDIT LTD	1990 1995	2.30bar (33psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	150/70-17 69V AM26 Roadrider, 69H AM52 HKM
GSX 400	1982 1985	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
GSX 400 E, ES, ET	1982 1985	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
GSX 400 F, FD, Katana	1981 1985	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	110/90-18 61V AM18 Super Venom Universal
GSX 400 F, FR	1988 1990	2.30bar (33psi)	2.80bar (40psi)	110/80ZR17 AV45-ST	140/80ZR17 (69W) AV46-ST
GSX 400 FS Inazuma	1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
GSX 400 FW		2.30bar (33psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 61V AM18 Super Venom Universal
GSX 400 L		2.00bar (29psi)	2.30bar (33psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	MT90-16 74H AM42 Venom
GSX 400 X		2.30bar (33psi)	2.50bar (36psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	130/80-17 65V AM26 Roadrider, 65H AM52 HKM
GSX R 400	1984 1985	2.20bar (32psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
GSX R 400	1986 1987	2.30bar (33psi)	2.80bar (40psi)	110/80ZR17 AV45-ST	140/80ZR17 (69W) AV46-ST
GSX R 400 R, RSP	1989 1989	2.00bar (29psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	150/60ZR17 (61W) AV60 Sport
GSX R 400 R, RSP	1990	2.00bar (29psi)	2.50bar (36psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST
LS 400 Savage	1993 1994	2.00bar (29psi)	2.50bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
RF 400 R, V	1992 1992	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST
SP 400 T	1980 1982	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
VS 400 Intruder		2.00bar (29psi)	2.50bar (36psi)	90/90-21 54V AM26 Roadrider, 54H AM20 Roadrunner & AM41 Venom	140/90-15 76H AM42 Venom
GS 450 L	1980 1988	2.00bar (29psi)	2.30bar (33psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom, AM26 Roadrider
500 RE5	1979 1981	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
DR 500 S	1981 1983	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
GS 500 E	1984 1988	2.00bar (29psi)	2.30bar (33psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
GS 500 E, EU	2001 2004	2.00bar (29psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
GS 500, U	1989 2000	2.00bar (29psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
GT 500	1970 1975	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
T 500	1976 1978	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
GS 550 D	1977 1980	2.00bar (29psi)	2.30bar (33psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
GS 550 E, L, EM Katana	1986	2.00bar (29psi)	2.30bar (33psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
GS 550 L Chopper		2.00bar (29psi)	2.30bar (33psi)	No Avon Tyre Fitment for this Model	-
GSX 550 E, ES, EF, EU	1983 1988	2.30bar (33psi)	2.50bar (36psi)	100/90-16 54V AM26 Roadrider, Super Venom	110/90-18 AM18 Super Venom & AM21 Roadrunner
GT 550	1979 1982	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
DR 600 S, SU, R, RU, Dakar		2.00bar (29psi)	2.30bar (33psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
GSF 600 S, U, SU Bandit	1995 1999	2.30bar (33psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST	150/70ZR17 (69W) AV46-ST
GSF 600, N, S, U, SU Bandit	2000 2003	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport
GSX 600 F, FU, Katana	1998 2004	2.30bar (33psi)	2.50bar (36psi)	120/70ZR17 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
GSX 600 F, Katana	1988 1997	2.50bar (36psi)	2.90bar (42psi)	110/80ZR17 AV45-ST	140/80ZR17 (69W) AV46-ST
GSX R 600	1997 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSX R 600	2001 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSX R 600 N	1992 1993	2.50bar (36psi)	2.90bar (42psi)	110/80ZR17 AV45-ST	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
RF 600 R, RU, P, RR	1993 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
VS 600 Intruder	1994 1997	2.00bar (29psi)	2.50bar (36psi)	80/90-21 48H AM41 Venom	140/90-15 76H AM42 Venom

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
SUZUKI					
DL650 V-Strom	2004	2.50bar (36psi)	2.70bar (39psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
DR 650	1990 2004	2.00bar (29psi)	2.30bar (33psi)	90/90-21 54H AM43 Distanzia	120/90-17 64S AM44 Distanzia
GR 650 D, E, X	1983 1987	2.30bar (33psi)	2.80bar (40psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18
					Super Venom, AM26 Roadrider
GS 650 L	1983	2.00bar (29psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
LS 650 P Savage	1986 2004	2.00bar (29psi)	2.50bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
SV 650 S, SU	1999 2002	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
SV 650 S, SU	2003 2004	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
XF 650 Freewind	1997	2.00bar (29psi)	2.50bar (36psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM43 Distanzia
VS 700 GLE, F, H Intruder	1985 1987	2.00bar (29psi)	2.80bar (40psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
DR 750 SJ, SK, SU, Big	1988 1992	2.00bar (29psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
GS 750 D, (Spoked Wheels), E	1976 1979	2.20bar (32psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
GS 750 L Chopper		2.20bar (32psi)	2.50bar (36psi)	100/90-19 57V AM18 Super Venom Universal	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GSX 750	1998 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	170/60ZR17 (72W) AV46-ST, AV60 Sport
GSX 750 ET, EX	1980 1981	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
GSX 750 F, Katana	1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
GSX 750 F K-S, Katana	1989 1997	2.50bar (36psi)	2.90bar (42psi)	110/80ZR17 AV45-ST	150/70ZR17 (69W) AV46-ST
GSX 750 L, Katana		2.20bar (32psi)	2.50bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
GSX 750 SZ KATANA MK1		2.00bar (29psi)	2.50bar (36psi)	100/90-19 57V AM18 Super Venom Universal	120/90-18 65V AM18 Super Venom
GSX R 750 F, G, H	1985 1987	2.50bar (36psi)	2.90bar (42psi)	110/80 B18 (58V) V260 AM22	150/70 B18 (70V) V260 AM23
GSX R 750 J & K SLINGSHOT	1988 1989	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
GSX R 750 L SLINGSHOT, M	1990 1991	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (72W) AV46-ST, AV60 Sport, Supersport
GSX R 750 RK Special Edition	1989 1989	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
GSX R 750 W	1996 1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSX R 750 WN, P	1992 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (72W) AV46-ST, AV60 Sport, Supersport
GSX R 750 WR, WS, SP	1994 1995	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSX R 750 WT, V, W, X,	1996 1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSX R 750 Y, K1	2000 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (72W) AV46-ST, AV60 Sport, Supersport
GT 750	1972 1977	2.50bar (36psi)	2.90bar (42psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
VS 750 (Early 19" Front) Intruder	1985 1988	2.00bar (29psi)	2.90bar (42psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
VS 750 (Late 21" Front) Intruder	1987 1991	2.00bar (29psi)	2.90bar (42psi)	80/90-21 48H AM41 Venom	140/90-15 76H AM42 Venom
DR 800 S, SU	1990 1995	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	130/80-17 65T AM44 Distanzia
VL 800 Intruder LC, Volusia	2001 2004	2.30bar (33psi)	2.50bar (36psi)	MT90 B16 74H AM41 Venom	170/80-15 83H AM42 Venom
VS 800 (Early 21" Front) Intruder	1992 1999	2.30bar (33psi)	2.50bar (36psi)	80/90-21 48H AM41 Venom	140/90-15 76H AM42 Venom
VS 800 (Late 19" Front) Intruder	2000 2003	2.30bar (33psi)	2.50bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
VX 800, U	1991 1997	2.30bar (33psi)	2.50bar (36psi)	110/80ZR18 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
VZ 800 Marauder, Desperado	1997 2004	2.30bar (33psi)	2.50bar (36psi)	MT90 B16 74H AM41 Venom	150/90 B15 M/C 80H AM42 Venom
GS 850 L ,G	1981 1984	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
GS 850, E, L	1980 1988	2.30bar (33psi)	2.80bar (40psi)	100/90-19 57V AM18 Super Venom Universal	130/90-17 68V AM26 Roadrider, AM18 Super Venom
RF 900 R, RS2	1994 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (72W) AV46-ST, AV60 Sport, Supersport
SV 1000 S	2003 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
TL 1000 R	1998 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
TL 1000 S	1996 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
DL 1000 V-Strom	2002 2004	2.50bar (36psi)	2.90bar (42psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
GS 1000		2.50bar (36psi)	2.90bar (42psi)	100/90-19 57V AM18 Super Venom Universal	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GS 1000 D, E		2.50bar (36psi)	2.90bar (42psi)	100/90-19 57V AM18 Super Venom Universal	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GS 1000 GL	1981	2.50bar (36psi)	2.90bar (42psi)	100/90-19 57V AM18 Super Venom Universal	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
AM26 Roadrider					
GS 1000 HC, S, Seca II	1979 1980	2.50bar (36psi)	2.90bar (42psi)	100/90-19 57V AM18 Super Venom Universal	120/90-18 65V AM18 Super Venom
GSX-R1000	2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSX-R1000	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST B, AV59 Sport	190/50ZR17 (73W) AV46-ST B, AV60 Sport
GS 1100 G	1982 1984	2.50bar (36psi)	2.90bar (42psi)	100/90-19 57V AM18 Super Venom Universal	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GSX 1100 E (16" Rear)		2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
GSX 1100 E (17" Rear)		2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GSX 1100 E, ES		2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GSX 1100 E, ES, EF		2.50bar (36psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GSX 1100 F, Katana	1988 1995	2.50bar (36psi)	2.90bar (42psi)	120/80ZR16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
GSX 1100 G	1991 1994	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	160/70ZR17 79V AV46-ST
GSX 1100 L		2.50bar (36psi)	2.90bar (42psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
GSX 1100 SZ Katana		2.50bar (36psi)	2.90bar (42psi)	100/90-19 57V AM18 Super Venom Universal	130/90-17 68V AM26 Roadrider, AM18 Super Venom
GSX R 1100 K SLINGSHOT	1989 1989	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
GSX R 1100 L, M, N	1990 1992	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSX R 1100 WP-R-S-T	1993 1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSX-R 1100	1986 1988	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
GSF 1200 S, Bandit	2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GSF 1200 S, SA, N, ABS Bandit	1996 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	180/55ZR17 (73W) AV46-ST
GSX 1200 Inazuma	1999 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
GSX R 1300 Hayabusa	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST (& B), AV59 Sport	190/50ZR17 (73W) AV46-ST (& B), AV60 Sport
GSX 1400	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
GV 1400 CAVALCADE LX, LXE	1985 1989	2.80bar (40psi)	3.05bar (44psi)	MT90 B16 74H AM41 Venom	150/90 B15 M/C 80H AM42 Venom
VS 1400 GLF, GLP Intruder	1986 2004	2.50bar (36psi)	2.90bar (42psi)	110/90-19 62H AM41 Venom	170/80-15 83H AM42 Venom
VL 1500 Intruder LC	1999 2004			No Avon Tyre Fitment for this Model	-
VL 1500 Intruder LC	2001			No Avon Tyre Fitment for this Model	-
SUZUKI SCOOTER					
AE 50				2.75-10 No Avon Tyre Fitment for this Model	2.75-10 No Avon Tyre Fitment for this Model
AP 50	- 1996			100/80-10 No Avon Tyre Fitment for this Model	100/80-10 No Avon Tyre Fitment for this Model
AP50	1997 -			100/90-10 No Avon Tyre Fitment for this Model	120/90-10 No Avon Tyre Fitment for this Model
AY 50 Katana	- 1999			120/70-12 AV63	130/70-12 AV63
AY 50 Katana	2000 -			120/70-12 AV63	130/60-13 AV63
UF 50 Estilete				120/70-12 AV63	130/70-12 AV63
UX 50 Zillion				120/70-12 AV63	130/70-12 AV63
UG 110 Hokutu				90/90-12 No Avon Tyre Fitment for this Model	100/80-12 No Avon Tyre Fitment for this Model

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
SUZUKI SCOOTER					
AN125				3.50-10 No Avon Tyre Fitment for this Model	3.50-10 No Avon Tyre Fitment for this Model
UC 125 Epicuro				120/80-12 No Avon Tyre Fitment for this Model	130/80-12 No Avon Tyre Fitment for this Model
Burgman UH 125				110/90-12 AV63	130/70-12 AV63
Burgman AN 250				110/90-13 AV63	130/70-13 AV63
Burgman AN 400				110/90-13 AV63	130/70-13 AV63
Burgman AN 650				120/70R15 AV63	160/60R14 AV63
SYM SCOOTER					
Jet 50				120/70-12 AV63	130/70-12 AV63
Jungle 50				120/70-12 AV63	130/70-12 AV63
Mask 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
Red Devil 50				120/70-12 AV63	130/70-12 AV63
Jet 100				120/70-12 AV63	130/70-12 AV63
Sunrise 100				3.00-10 No Avon Tyre Fitment for this Model	3.00-10 No Avon Tyre Fitment for this Model
Attila 125				100/90-10 No Avon Tyre Fitment for this Model	100/90-10 No Avon Tyre Fitment for this Model
Duke 125				3.50-10 No Avon Tyre Fitment for this Model	3.50-10 No Avon Tyre Fitment for this Model
Euromx 125				110/80-12 No Avon Tyre Fitment for this Model	130/70-12 AV63
Joyride 125				110/80-12 No Avon Tyre Fitment for this Model	130/70-12 AV63
Shark 125				110/80-12 No Avon Tyre Fitment for this Model	130/70-12 AV63
Joyride 200				110/80-12 No Avon Tyre Fitment for this Model	130/70-12 AV63
VESPA SCOOTER					
ET 2 50				100/80-10 No Avon Tyre Fitment for this Model	120/70-10 No Avon Tyre Fitment for this Model
ET 4 50				100/80-10 No Avon Tyre Fitment for this Model	120/70-10 No Avon Tyre Fitment for this Model
Cosa 125				100/80-10 No Avon Tyre Fitment for this Model	120/70-10 No Avon Tyre Fitment for this Model
ET 4 125				100/80-10 No Avon Tyre Fitment for this Model	120/70-10 No Avon Tyre Fitment for this Model
Granturismo 125 L				120/70-12 AV63	130/70-12 AV63
Primavera 125				3.00-10 No Avon Tyre Fitment for this Model	3.00-10 No Avon Tyre Fitment for this Model
PX 125				3.50-10 No Avon Tyre Fitment for this Model	3.50-10 No Avon Tyre Fitment for this Model
PX 200				3.50-10 No Avon Tyre Fitment for this Model	3.50-10 No Avon Tyre Fitment for this Model
Granturismo 250 L				120/70-12 AV63	130/70-12 AV63
TITAN					
Gecko	1997 2000			130/70 B18 (63V) V260 AM23 Universal	180/55 B18 (74V) V280 AM23
Coyote	1995 1998			80/90-21 48H AM41 Venom	150/80B16 77H AM42 Venom
Phoenix	2000 2001			80/90-21 48H AM41 Venom	150/80B16 77H AM42 Venom
Roadrunner	1997 2000			130/70 B18 (63V) V260 AM23 Universal	180/55 B18 (74V) V280 AM23
Sidewinder	1999 2000			130/70 B18 (63V) V260 AM23 Universal	180/55 B18 (74V) V280 AM23
TRIUMPH					
Bandit	1971			100/90-18 56V AM26 Roadrider, AM20 Super Venom	100/90-18 56H AM21 Roadrunner
Speed Four	2003	2.40bar (34psi)	2.70bar (39psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
TT 600	2000 2004	2.40bar (34psi)	2.70bar (39psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
T 100 R Daytona 650	1972 1973			100/90-19 57V AM18 Super Venom Universal	110/90-18 AM18 Super Venom & AM21 Roadrunner
T 120 R, V Bonneville 650	1970 1973			100/90-19 57V AM18 Super Venom Universal	110/90-18 AM18 Super Venom & AM21 Roadrunner
T 140 E Bonneville 650	1980 1983			100/90-19 57V AM18 Super Venom Universal	100/90-18 56H AM21 Roadrunner
T 140 V Bonneville 650	1976 1979			100/90-19 57V AM18 Super Venom Universal	100/90-18 56H AM21 Roadrunner
T 140 V Tiger 650	1976 1978			100/90-19 57V AM18 Super Venom Universal	100/90-18 56H AM21 Roadrunner
TR 6 Thunderbird 650	1982 1983			100/90-19 57V AM18 Super Venom Universal	110/90-18 AM18 Super Venom & AM21 Roadrunner
TR 6 Tiger 650	1971 1972			100/90-19 57V AM18 Super Venom Universal	110/90-18 AM18 Super Venom & AM21 Roadrunner
750 Bonneville		2.00bar (29psi)	2.30bar (33psi)	100/90-19 57V AM18 Super Venom Universal	110/90-18 AM18 Super Venom & AM21 Roadrunner
750 Bonneville	1986 1988	2.00bar (29psi)	2.30bar (33psi)	410-19 61H TT Universal Roadrunner (also 100/90-19 AM18)	410-19 61H TT Universal Roadrunner (also 100/90-19 57V AM18, AM26 Roadrider)
750 Tiger	1986 1988	2.00bar (29psi)	2.30bar (33psi)	410-19 61H TT Universal Roadrunner (also 100/90-19 AM18)	410-19 61H TT Universal Roadrunner (also 100/90-19 57V AM18, AM26 Roadrider)
750 Trident	1991 1995	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
750 TSS	1982 1983			100/90-19 57V AM18 Super Venom Universal	100/90-18 56H AM21 Roadrunner
750 TSX	1982 1983			100/90-19 57V AM18 Super Venom Universal	MT90-16 74H AM42 Venom, & AM21 Roadrunner
DAYTONA 750	1992	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	160/60ZR18 (70W) AV46-ST
Daytona 750 (to '93)	1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
Speed Triple 750	1992	2.50bar (36psi)	2.90bar (42psi)	120/70 R17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
T 140 V Bonneville 750	1973	2.00bar (29psi)	2.20bar (32psi)	100/90-19 57V AM18 Super Venom Universal	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18 AM26 Roadrider, AM18/21)
T 140 V Bonneville 750 Special	1979	2.00bar (29psi)	2.20bar (32psi)	100/90-19 57V AM18 Super Venom Universal	110/90-18 AM18 Super Venom & AM21 Roadrunner
T 150 V Trident 750	1970 1975			90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
T 160 V Trident 750	1976 1977			410-19 61H TT Universal Roadrunner (also 100/90-19 AM18)	410-19 61H TT Universal Roadrunner (also 100/90-19 57V AM18, AM26 Roadrider)
TR 7 Tiger 750	1973 1983			100/90-19 57V AM18 Super Venom Universal	110/90-18 AM18 Super Venom & AM21 Roadrunner
800 America Bonneville	2002 2004	2.20bar (32psi)	2.50bar (36psi)	100/90-18 56H AM41 Venom, 0r 100/90-18 56V AM26 Roadrider, AM20 Super Venom	170/80-15 83H AM42 Venom
800 Bonneville, T100	2001	2.30bar (33psi)	2.70bar (39psi)	100/90-19 57H AM41 Venom	130/80-17 65V AM26 Roadrider, 65H AM52 HKM
Speedmaster 800	2002 2004	2.20bar (32psi)	2.50bar (36psi)	110/80 B18 (58V) V260 AM22	170/80-15 83H AM42 Venom
Bonneville	2004	2.30bar (33psi)	2.60bar (37psi)	100/90-19 57H AM41	130/80-17 HKM 65H
900 Adventurer	1996 1998	2.50bar (36psi)	2.90bar (42psi)	110/80 R18 58H TT AV27 B TT	160/80 R16 75H TT RL30
900 Adventurer ('99 On)	1999 2001	2.50bar (36psi)	2.90bar (42psi)	100/90-19 57H AM41 Venom, AM18 Super Venom	150/80 B16 77H AM42 Venom, AM18 Super Venom
900 DAYTONA T595	1997 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) or 190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
900 Daytona, Super III, Speed Triple	1994 1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
900 Legend TT	1999 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR17 (69W) AV46-ST
900 Speedmaster	2004	2.10bar (30psi)	2.50bar (36psi)	110/80-18 58V AM26 Roadrider	170/80-15 83H AM42 Venom
900 Sprint ('95 On), Sprint Sports	1995 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
900 Sprint (To '94)	1994	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
900 Sprint Executive	1995 1997	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
900 Sprint RS	2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport	180/55ZR17 (73W) AV46-ST, AV60 Sport
900 Sprint RS (K 310)	2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	180/55ZR17 (73W) AV46-ST
900 Sprint ST	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
900 Sprint ST (K 310)	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
900 Thruxton	2004	2.50bar (36psi)	2.90bar (42psi)	100/90-18 56H AM41	130/80-17 HKM 65H
900 Thunderbird Sport	1997 2004	2.50bar (36psi)	2.90bar (42psi)	120/70 R17 (58W) AV45-ST B, AV27 A 58V TT Front	160/70ZR17 (73W) AV45-ST, AV281 73V

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
TRIUMPH					
900 Tiger (-'98)	1993 1998	2.20bar (32psi)	2.50bar (36psi)	110/80 R19 59H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
900 Tiger (EFI) ('01-)	2001	2.50bar (36psi)	2.90bar (42psi)	110/80 R19 59V AM43 Distanzia	150/70 R17 69V AM44 Distanzia
900 Tiger (EFI) ('99-00)	1999 2000	2.20bar (32psi)	2.50bar (36psi)	110/80 R19 59H AM43 Distanzia	150/70 R17 69H AM44 Distanzia
900 Trophy, Sprint	1995 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
Daytona 900 (to '93)	1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
Thunderbird 900	1995 2003	2.50bar (36psi)	2.90bar (42psi)	110/80 R18 58H TT AV27 B TT	160/80 R16 75H TT RL30
Trident 900	1991 1996	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
955 Daytona Centennial Edition	2002	2.20bar (32psi)	2.60bar (37psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
955 Daytona NS (Double sided Swing Arm)	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	180/55ZR17 (73W) AV46-ST
955 Daytona ST (Single sided Swing Arm)	2002 2004	2.20bar (32psi)	2.60bar (37psi)	120/70ZR17 (58W) AV59 Sport, Supersport	190/50ZR17 (73W) AV60 Sport, Supersport
955 Daytona T595, 955i	1997 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
955 Speed Triple	2002 2004	2.20bar (32psi)	2.60bar (37psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
955 Speed Triple (T509)	1997 1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
955 Sprint ST,RS	1999 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
955i Tiger	2001	2.20bar (32psi)	2.50bar (36psi)	110/80 R19 59V AM43 Distanzia	150/70 R17 69V AM44 Distanzia
DAYTONA 1000	1992	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
DAYTONA 1200 (Early)	1991 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
DAYTONA 1200 (Late)	1994 1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Trophy 1200	1994 2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
Trophy 1200 (Early)	1991 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
VICTORY					
V92C Sport	1999 2001	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
V92SC Deluxe, Cruiser	1999 2000	2.50bar (36psi)	2.70bar (39psi)	100/90-19 57H AM41 Venom	MT90-16 74H AM42 Venom
V92TC Touring	2002 2004	2.50bar (36psi)	2.70bar (39psi)	MT90B-16 74H AM41 Venom	160/80B-16 81H AM42 Venom
VOXAN					
Café Racer	2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
Roadster	2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	180/55ZR17 (73W) AV46-ST
YAMAHA					
DT 80 LC2		1.80bar (26psi)	2.10bar (30psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
DT 125 E, MX, LC, A, R	1976 1995	1.80bar (26psi)	2.10bar (30psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
SR 125	1982 1994	1.80bar (26psi)	2.00bar (29psi)	No Avon Tyre Fitment for this Model	-
XT 125	1982 1994	1.80bar (26psi)	2.00bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
DT 175 MX	1978 1982	2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	410-18 60S AM44 Distanzia
DT 200 R	1989 1994	1.80bar (26psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
XT 225 Serow	1992 2004	2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
XT 240	1983 1992	1.80bar (26psi)	2.00bar (29psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
XVS 250 Dragstar	1999	1.90bar (27psi)	2.30bar (33psi)	No Avon Tyre Fitment for this Model	-
DT 250	1973 1977	1.50bar (22psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
DT 250 MX	1978 1982	1.50bar (22psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
FZR 250 R	1989	2.30bar (33psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	130/70-17 62V AM26 Roadrider, 62H AM52 HKM
RD 250	1975 1981	2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
RD 250 LC	1980 1984	2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
RZ 250 R, RR	1983 1987	2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
SR 250	1980 1984	2.00bar (29psi)	2.30bar (33psi)	300-19 54S REINF TT Speedmaster MKII	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom, AM26 Roadrider
SRV 250 S, T		2.20bar (32psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
TDR 250		2.20bar (32psi)	2.50bar (36psi)	100/80-17 52V AM26 Roadrider	120/80-17 61V AM26 Roadrider
TT 250 R		2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
TY 250 S		2.00bar (29psi)	2.30bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	400-18 64S AM44 Distanzia
TZR 250 R, SP, RS, SPR	1991 1992	2.30bar (33psi)	2.50bar (36psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
XT 250	1980 1980	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	120/90-17 64S AM44 Distanzia
XT 250	1981	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	120/90-17 64S AM44 Distanzia
XVS 250 Dragstar	1999	1.90bar (27psi)	2.30bar (33psi)	No Avon Tyre Fitment for this Model	-
350 R 3	1970 1970	2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
350 R5	1973 1973	2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
RD 350	1975 1981	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	100/90-18 56H AM21 Roadrunner
RD 350 LC	1980 1983	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
RD 350 R, N		2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
RD 350 YPVS Powervalve	1983 1995	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
RD 350, F	1985 1990	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
RZ 350 R, RR	1983 1990	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
XT 350	1983 2001	2.30bar (33psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
DT 360	1973 1975	1.50bar (22psi)	2.00bar (29psi)	80/90-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
DT 400	1976 1977	1.50bar (22psi)	2.00bar (29psi)	80/90-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
DT 400	1977 1981	2.00bar (29psi)	2.30bar (33psi)	80/90-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
DT 400 MX	1978 1979	1.50bar (22psi)	2.00bar (29psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
FZ 400	1997	2.50bar (36psi)	2.50bar (36psi)	110/70-17 54V AM26 Roadrider, 54H AM51 HKM	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
FZR 400 RR, SP	1990 1994	2.00bar (29psi)	2.30bar (33psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
GX 400		2.00bar (29psi)	2.30bar (33psi)	No Avon Tyre Fitment for this Model	-
RD 400, C	1976 1980	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	350-18 56S TT Supreme 180 (also 100/90-18 AM21)
SR 400	1982 1984	2.00bar (29psi)	2.30bar (33psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
SR 400	1985	2.00bar (29psi)	2.30bar (33psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
SRX 400	1985 1986	2.30bar (33psi)	2.30bar (33psi)	100/90-18 56V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
XJ 400		2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	110/90-18 AM18 Super Venom & AM21 Roadrunner
XJ 400 D, Z		2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
XJ 400 Diversion		2.30bar (33psi)	2.50bar (36psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	130/70-18 63V AM26 Roadrider, 63H AM52 HKM
XJR 400	1990 1991	2.30bar (33psi)	2.60bar (37psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/70ZR17 (69W) AV46-ST
XS 400 C, Monoshock, Seca	1979 1983	2.30bar (33psi)	2.50bar (36psi)	No Avon Tyre Fitment for this Model	-
XS 400 RK	1983 1985	2.50bar (36psi)	2.50bar (36psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom, AM26 Roadrider
XV 400 Drag Star		2.30bar (33psi)	2.50bar (36psi)	100/90-19 57H AM41 Venom	170/80-15 83H AM42 Venom
XV 400 Virago		2.00bar (29psi)	2.30bar (33psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	140/90-15 76H AM42 Venom
RD 500 LC	1984 1987	2.20bar (32psi)	2.50bar (36psi)	120/80-16 60V AM26 Roadrider	130/80-18 66V AM26 Roadrider
SR 500	1978 1983	2.00bar (29psi)	2.30bar (33psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
SR 500	1992 1993	2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 61V AM18 Super Venom Universal

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
YAMAHA					
SR 500	1994 1995	2.00bar (29psi)	2.50bar (36psi)	350-18 56S TT Supreme 180	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18
					AM26 Roadrider, AM18/21)
XS 500	1976 1980	2.00bar (29psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
XT 500	1976 1990	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
XV 500 SE	1983 1989	2.30bar (33psi)	2.50bar (36psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XV 535 Virago	1987 2000	2.00bar (29psi)	2.50bar (36psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	140/90-15 76H AM42 Venom
XV 535 Virago (Oversize Rear)	1987	2.00bar (29psi)	2.50bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20 Roadrunner	150/90 B15 M/C 80H AM42 Venom
XJ 550, Seca	1981 1985	2.00bar (29psi)	2.30bar (33psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	400-18 64H , 110/90-19 AM21 Roadrunner
XJ 550 H-K, Maxim	1981 1983	2.50bar (36psi)	2.50bar (36psi)	300-19 54S REINF TT Speedmaster MKII (also 90/90-19 AM20)	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XT 550	1982 1984	2.00bar (29psi)	2.30bar (33psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
XZ 550 S, RJ, RK, Vision	1982 1986	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
FJ 600 LC, NC	1984 1984	2.00bar (29psi)	2.30bar (33psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
FZ6 Fazer	2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
FZ 600 (To '88)	1986 1988	2.00bar (29psi)	2.30bar (33psi)	No Avon Tyre Fitment for this Model	-
FZR 600 ('87-'89)	1987 1989	2.00bar (29psi)	2.30bar (33psi)	No Avon Tyre Fitment for this Model	-
FZR 600 ('91-'93)	1991 1993	2.00bar (29psi)	2.30bar (33psi)	No Avon Tyre Fitment for this Model	-
FZR 600 R	1994 1995	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
FZS 600 Fazer	1997 2001	2.50bar (36psi)	2.90bar (42psi)	110/70ZR17 (54W) AV45-ST	160/60ZR17 (69W) AV46-ST
SRX 6	1986 1990	2.50bar (36psi)	2.90bar (42psi)	No Avon Tyre Fitment for this Model	-
TT 600	1998	2.30bar (33psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	400-18 64S AM44 Distanzia
TT 600 R		2.30bar (33psi)	2.50bar (36psi)	No Avon Tyre Fitment for this Model	-
XJ 600	1985 1993	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
XJ 600	1985 1993	2.30bar (33psi)	2.50bar (36psi)	90/90-18 51V AM26 Roadrider, 51H AM20 Roadrunner	110/90-18 AM18 Super Venom & AM21 Roadrunner
XJ 600 S, N DIVERSION,Seca II	1992 1998	2.30bar (33psi)	2.80bar (40psi)	110/80-17 57V AM26 Roadrider, 57H AM51 HKM	130/70-18 63V AM26 Roadrider, 63H AM52 HKM
XT 600 A, Z, Tenere	1984 1990	2.30bar (33psi)	2.50bar (36psi)	300-21 51S AM43 Distanzia	120/80-18 62S (also 460-18 63S) AM44 Distanzia
XT 600 E, K	1990	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	120/90-17 64S AM44 Distanzia
YX 600 Radian	1986 1991	2.30bar (33psi)	2.80bar (40psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
YZF 600 R Thunder Cat	1995 2004	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
YZF-R6	1999 2001	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YZF-R6	2002 2004	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST B, AV60 Sport, Supersport
XJ 650	1980 1985	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
XJ 650 Turbo	1982 1987	2.30bar (33psi)	2.80bar (40psi)	100/90-19 57V AM18 Super Venom Universal	120/90-18 65V AM18 Super Venom
XS 650	1975 1985	2.50bar (36psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	400-18 64H, 110/90-18 AM21 Roadrunner
XS 650 S, SE	1975 1985	2.50bar (36psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XVS 650 A Dragstar Classic, Shadow	1998 2004	2.50bar (36psi)	2.50bar (36psi)	MT90 B16 74H AM41 Venom	170/80-15 83H AM42 Venom
XVS 650 A V Star Classic, Shadow,Silverado	1998 2004	2.50bar (36psi)	2.50bar (36psi)	MT90-16 74H Roadrunner Front& Super Venom Universal	170/80-15 83H AM42 Venom
XVS 650 Drag Star, V Star Custom	1996 2004	2.50bar (36psi)	2.50bar (36psi)	110/90-19 AM18 Super Venom, AM41 Venom	170/80-15 83H AM42 Venom
SZR 660	1995	2.30bar (33psi)	2.60bar (37psi)	110/70ZR17 (54W) AV45-ST, AV59 Sport	150/60ZR17 (61W) AV60 Sport
XTZ 660 Tenere, Marathon	1990	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	120/90-17 64S AM44 Distanzia
XJ 700 XN-C, S Maxim	1985 1986	2.50bar (36psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XV 700 Virago	1984 1987	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	140/90-15 76H AM42 Venom
FZR 750 R (0W01)	1989 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
FZR 750 R Genesis	1987 1989	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
FZX 750 R	1988 1994	2.70bar (39psi)	2.90bar (42psi)	110/90-16 59V AM26 Roadrider, AM20 Super Venom	140/90-15 76H AM42 Venom
TX 750	1973 1975	2.20bar (32psi)	2.50bar (36psi)	100/90-19 57V AM18 Super Venom Universal	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
XJ 750	1983 1986	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
XJ 750 J-R, Maxim	1982 1983	2.50bar (36psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XJ 750 RH, RJ, RK, Seca	1981 1985	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	400-18 64H, 110/90-18 AM21 Roadrunner
XS 750	1976 1981	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
XS 750 SE		2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V Roadrider, 64H Roadrunner AM21
XTZ 750 Super Ténéré	1989	2.30bar (33psi)	2.50bar (36psi)	90/90-21 54H AM43 Distanzia	140/80 R17 69H AM44 Distanzia
XV 750 SE	1980 1983	2.30bar (33psi)	2.70bar (39psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XV 750 Virago	1984 1998	2.30bar (33psi)	2.50bar (36psi)	90/90-19 AM18 Super Venom, AM41 Venom	140/90-15 76H AM42 Venom
YZF 750 R, RSP	1993 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YZF R7	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
TDM 850	1995	2.50bar (36psi)	2.90bar (42psi)	110/80ZR18 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
TRX 850	1995 1999	2.50bar (36psi)	2.90bar (42psi)	120/60ZR17 (55W) AV45-ST, AV59 Sport, Supersport	160/60ZR17 (69W) AV46-ST, AV60 Sport, Supersport
XS 850	1979 1983	2.30bar (33psi)	2.50bar (36psi)	3.25-19 54H AM20 Roadrunner, 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider, 64H Roadrunner AM21 (also 120/90-18
					AM26 Roadrider, AM18/21)
TDM 900, Seca II	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR17 (69W) AV46-ST, AV60 Sport
XJ 900, Seca II	1983 1992	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	120/90-18 65V AM18 Super Venom
XJ 900 S Diversion, Seca II	1994 2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	150/70ZR17 (69W) AV46-ST
1000 TR1	1981 1983	2.00bar (29psi)	2.00bar (29psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	120/90-18 AM26 Roadrider, AM18 Super Venom & AM21 Roadrunner
FZR 1000 Exup	1989 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) or 180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
FZR 1000 Genesis	1987 1988	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	160/60ZR18 (70W) AV46-ST
FZS 1000 Fazer FZ1	2001 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST B, AV59 Sport	180/55ZR17 (73W) AV46-ST B, AV60 Sport
GTS 1000, GTS1000/A	1993 1995	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
XV 1000 SE Virago	1983 1984	2.50bar (36psi)	2.90bar (42psi)	90/90-19 AM18 Super Venom, AM41 Venom	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XV 1000 Virago	1986 1999	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	140/90-15 76H AM42 Venom
YZF 1000 R Thunder Ace	1996 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YZF-R1 (RN 01)	1998 1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YZF-R1 (RN 04)	2000	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST, AV60 Sport, Supersport
YZF-R1 (RN09)	2002 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST B, AV59 Sport, Supersport	190/50ZR17 (73W) AV46-ST B, AV60 Sport
BT1100 Bulldog	2002	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
FJ 1100	1984 1987	2.50bar (36psi)	2.90bar (42psi)	120/80ZR16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
XS 1100	1978 1983	2.30bar (33psi)	2.50bar (36psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	130/90-17 68V AM26 Roadrider, AM18 Super Venom
XS 1100 LG-H	1980	2.30bar (33psi)	2.60bar (37psi)	100/90-19 57V AM18 Super Venom Universal	MT90-16 74H AM42 Venom, AM21 Roadrunner, 74V AM18 Super Venom,
					AM26 Roadrider
XV 1100 Virago	1988 1999	2.30bar (33psi)	2.80bar (40psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	140/90-15 76H AM42 Venom
XV 1100 Virago (Oversize Rear)	1988 1997	2.30bar (33psi)	2.80bar (40psi)	100/90-19 AM18 Super Venom, AM26 Roadrider, AM41 Venom	150/90 B15 M/C 80H AM42 Venom

Doporučené rozměry

Model	Rok výroby	Tlak vpředu	Tlak vzadu	Doporučený dezén vpředu	Doporučený dezén vzadu
YAMAHA					
XVS 1100, 1100 A, Drag Star, Custom	1999	2.00bar (29psi)	2.50bar (36psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	170/80-15 83H AM42 Venom
V Star Classic Silverado	2000 2004	2.00bar (29psi)	2.50bar (36psi)	MT90 B16 74H AM41 Venom	170/80-15 83H AM42 Venom
FJ 1200	1988 1993	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST	150/80ZR16 (71W) AV46-ST
FJ 1200	1986 1987	2.50bar (36psi)	2.90bar (42psi)	120/80ZR16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
VMX 1200 V Max	1985	2.50bar (36psi)	2.90bar (42psi)	110/90-18 61V AM26 Roadrider, AM20 Super Venom	150/90 V15 M/C 74V AM42 Venom
VMX 1200 V Max	2001 2004	2.50bar (36psi)	2.90bar (42psi)	110/90-18 56V AM20 Super Venom	150/90 V15 M/C 74V AM42 Venom
XJR 1200	1994 1998	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	170/60ZR17 (72W) AV46-ST, AV60 Sport
XVZ 1200 T Venture Royal	1984 1990	2.50bar (36psi)	2.90bar (42psi)	120/90-18 71H AM41 Venom	140/90 B16 77H AM42 Venom
FJR 1300A ABS	2001 2004	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
XJR 1300	1999	2.50bar (36psi)	2.90bar (42psi)	120/70ZR17 (58W) AV45-ST, AV59 Sport, Supersport	180/55ZR17 (73W) AV46-ST, AV60 Sport, Supersport
XVZ 1300 Royal Star, Boulevard, Cheyenne	1999 2001	2.50bar (36psi)	2.90bar (42psi)	150/80-16 71H AM41 Venom	150/90 B15 M/C 80H AM42 Venom
XVZ 1300 Royal Star, Classic, Tour Deluxe	1995 2001	2.50bar (36psi)	2.90bar (42psi)	150/80-16 71H AM41 Venom	150/90 B15 M/C 80H AM42 Venom
XVZ 1300 T D Venture Royal	1986 1993	2.50bar (36psi)	2.90bar (42psi)	120/90-18 71H AM41 Venom	140/90 B16 77H AM42 Venom
XVZ 1300 TF Royal Star Venture	1999 2004	2.50bar (36psi)	2.90bar (42psi)	150/80-16 71H AM41 Venom	150/90 B15 M/C 80H AM42 Venom
1600 Road Star, Silverado, Wildstar	1999 2004	2.90bar (42psi)	3.05bar (44psi)	MT90 B16 74H AM41 Venom	150/80 B16 77H AM42 Venom
1700 Road Star Warrior	2003	2.50bar (36psi)	2.90bar (42psi)	120/70ZR18 (59W) AV45-ST	200/50ZR17 (75W) AV46-ST
YAMAHA SCOOTER					
CS 50 Jog				110/70-12 No Avon Tyre Fitment for this Model	130/70-12 AV63
CW 50 BWs				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
CW 50 Spy				120/70-12 AV63	130/70-12 AV63
EW 50 Slider				120/80-12 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
YN 50 Neo				120/70-12 AV63	130/70-12 AV63
YQ 50 Aerox				130/60-13 AV63	140/60-13 AV63
Zuma 50				120/90-10 No Avon Tyre Fitment for this Model	130/90-10 No Avon Tyre Fitment for this Model
YQ 100 Aerox				130/60-13 AV63	140/60-13 AV63
YQ 100 Neo				120/70-12 AV63	130/70-12 AV63
Cygnus X 125				110/70-12 No Avon Tyre Fitment for this Model	120/70-12 AV63
Vino 125				3.50-10 No Avon Tyre Fitment for this Model	3.50-10 No Avon Tyre Fitment for this Model
XN 125 Teo				120/70-12 AV63	120/70-12 AV63
XQ 125 Maxtor				130/60-13 AV63	140/60-13 AV63
Majesty YP 125				120/70-12 AV63	130/70-12 AV63
Majesty YP 180				120/70-12 AV63	130/70-12 AV63
Majesty YP 250				110/90-12 AV63	130/70-12 AV63
Versity 300				120/80-14 AV63	150/70-14 AV63
Majesty YP 400				120/80-14 AV63	150/70-13 AV63
T Max 500	- 2003			120/70-14 AV63	150/70-14 AV63
T Max 500	2004 -			120/70R14 AV63	160/60R15 AV63